

APPLE INSECTICIDES

This sheet lists some products used to control insects on apple trees. The health symptoms listed may be caused by things other than pesticides. If you feel sick after exposure to pesticides, contact a doctor or clinic.



Year 2002

Pesticide (Brand Name) highly toxic	Product Use Changes Read the Label DO NOT ENTER TREATED AREAS FOR: Reentry intervals will vary by product		Common Symptoms of Acute Insecticide Poisoning		
Azinphosmethyl (Guthion)	The state of the s	2 Days (mimimum contact) 3 Days if less than 25 in. rain 14 Days (thin, harvest)	368		50
Carbaryl (Sevin)	1/2 W	1/2 Day 12 hours	HEADACHES	VISION PROBLEMS	STOMACH ACHE
Chlorpyrifos (Lorsban)	MAN WAR	4 Days	The state of the s		
Dimethoate (Cygon)	12 m	2 Days	VOMITING	BREATHING PROBLEMS	WEAKNESS
Endosulfan (Thiodan)	MAN	1 Day	9		Q-
Esfenvalerate (Asana)	ANS WAR	1 Day	DIZZ		A A DESSIVE
Oxamyl (Vydate)	23 W	2 Days	NOSE	E, EAR,	3
Phosmet (Imidan)	23 EW	3 Days	OR TI	ATION S	KIN

If you are exposed to a pesticide spray or drift:

Leave the area



Tell your employer

Immediately wash exposed skin with soap and lots of water

If you get pesticides in your eyes, rinse with clean water for 15 minutes

Change into clean clothes, wash work clothes separately from other clothes

Complaint Investigations:

WSDA:

Toll Free 1-877-301-4555

L&I

Toll Free 1-800-423-7233

If you feel sick while working with pesticides:

Leave the area



Tell your employer you feel sick



Go to a doctor or clinic

Have someone go with you

Tell doctor the pesticide name. Your employer must provide this information





Emergency Pesticide Information:
WA Poison Control Center 1-800-222-1222
Pesticide Related Health Concerns:
DOH (Olympia) 360-236-3360