

Resource ID# 5151

Summary of Results From the California Pesticide Illness
Surveillance Program

SUMMARY OF RESULTS FROM THE CALIFORNIA PESTICIDE ILLNESS SURVEILLANCE PROGRAM

- 1999 -

HS-1811

California Environmental Protection Agency
Department of Pesticide Regulation
Worker Health and Safety Branch
830 K Street
Sacramento, California 95814

February 15, 2001

Pesticide Illness Surveillance Program – 1999

Background on the Reporting System

The California pesticide safety program, which the California Environmental Protection Agency (Cal/EPA), Department of Pesticide Regulation (DPR) administers, is widely regarded as the most stringent in the nation. It includes requirements for thorough data review of all pesticides¹ before registration for use in California, safety training of all pesticide handlers and field workers, and ongoing monitoring of people and the environment to detect potential for pesticide exposure. Mandatory reporting of pesticide illnesses has been part of this comprehensive program since 1971. The U.S. General Accounting Office (GAO, 1993) noted that "California had by far the most effective and well-established monitoring system in place" and that the U.S. Environmental Protection Agency (U.S. EPA) "relies heavily on the pesticide illness data collected by the California monitoring system ... and has tried to encourage selected states to develop monitoring systems modeled after the California system." Several other states have initiated surveillance programs for pesticide illness. As yet, most of them have collected only limited numbers of case reports, and the U.S. EPA still relies heavily on California data.

DPR maintains its surveillance of human health effects of pesticide exposure in order to evaluate the circumstances of pesticide exposures that result in illness. Under a statute enacted in 1971 and amended in 1977 (now codified as Health and Safety Code Section 105200), California physicians are required to report any suspected case of pesticide-related illness or injury by telephone to the local health officer within 24 hours of examining the patient. The health officer informs the county agricultural commissioner (CAC) and also completes a pesticide illness report (PIR), copies of which are distributed to the Cal/EPA Office of Environmental Health Hazard Assessment, to the Department of Industrial Relations (DIR), and to DPR. Staff members regularly consult the data collected to evaluate the effectiveness of DPR's pesticide safety regulatory programs and assess the need for changes.

¹ "Pesticide" is used to describe many substances that control pests. Pests may be insects, fungi, weeds, rodents, nematodes, algae, viruses or bacteria -- almost any living organisms that cause damage or economic loss, or transmit or produce disease. Therefore, pesticides include herbicides, fungicides, insecticides, rodenticides, disinfectants, as well as insect growth regulators. In California, adjuvants are also subject to the regulations that control pesticides. Adjuvants are substances added to enhance the efficacy of a pesticide, and include emulsifiers, spreaders, and wetting and dispersing agents.

Pesticide Illness Surveillance Program – 1999
February 15, 2001

DPR strives to ensure that the PISP captures the majority of illness incidents. For example, since doctors do not always properly report pesticide cases, DPR's Worker Health and Safety Branch (WH&S) also reviews Doctors' First Reports of Occupational Illness and Injury (DFROI), which California's Labor Code requires workers' compensation claims payers to forward to DIR. Staff members select for investigation any DFROI that mentions a pesticide, or pesticides in general, as a possible cause of injury. Reports that mention unspecified chemicals also are investigated if the setting is one in which pesticide use is likely. In typical years, DFROI review identifies two-thirds to three-quarters of the incidents investigated.

During 1999, U.S. EPA provided funds to DPR to contract with the California Poison Control System (CPCS) to facilitate illness reporting. Under the contract, poison control staff workers reminded health care personnel of the reporting requirement and offered to handle the paperwork. They faxed copies of the report form to facilities that chose to report independently. Poison control efforts contributed to the transmission of 17 percent of the cases investigated during 1999. The majority of the poison control-mediated reports were the only notification of those incidents. A summary of the reporting results from CPCS can be found at the end of this document.

The agricultural commissioner of the county where the incident occurred investigates each incident. DPR provides instructions, training, and technical support for conducting investigations. These instructions include directions for when and how to collect samples of foliage, clothing, or surface residues to document environmental exposures. As part of the technical support, DPR maintains specialized laboratories to analyze the samples. The CACs prepare reports describing the circumstances in which pesticide exposure may have occurred and any other relevant aspects of the case. When appropriate, they request authorization from the affected people to include relevant portions of their medical records with the report. When investigations identify additional affected people (not previously reported by other mechanisms), they are identified in the investigation report and recorded in the PISP database.

Pesticide
February

WH&S scientists evaluate the physicians' reports and all the information the CACs have gathered, and classify incidents according to the circumstances of exposure to a pesticide. Evaluators undertake a complex task of determining the likelihood that a pesticide exposure caused the incident.

Excessive exposure to pesticides may cause illness by various mechanisms, and the surveillance program attempts to monitor all of them. Every pesticide active ingredient has a pharmacologic effect by which it controls its target pests. Pesticide products may have other potentially harmful properties in addition to the qualities designed to control pests. The Pesticide Illness Surveillance Program (PISP) collects information on adverse effects from any component of pesticide products including the active ingredients, inert ingredients, impurities, and breakdown products. Whether pesticide products act as irritants or as allergens, through their smell or by causing fires or explosions, DPR's mission is to mitigate exposures that compromise health.

The PISP database provides the means to identify high-risk situations warranting DPR action including the implementation of additional California restrictions on pesticide use. Taking illness data into consideration, DPR may adjust the restricted entry interval following pesticide application, specify buffer zones or other application conditions, or require pesticide handlers to use protective equipment that meets certain standards. In some instances, changes to pesticide labels provide the most appropriate mitigation measures, and DPR cooperates with the U.S. EPA to develop appropriate instructions for users throughout the country. Use of liquid nitrogen for termite control gave rise to one such cooperative effort. Following the death by asphyxiation of a California liquid nitrogen applicator in 1989, California and federal staff worked together to develop additional safety measures, which are now in force nationwide. If an illness incident results from illegal practices, state and county enforcement staff take appropriate action to deter future incidents.

DPR scientists participate in the working group convened by the National Institute for Occupational Safety and Health (NIOSH) to develop standards for collection of information on

Pesticide Illness Surveillance Program – 1999
February 15, 2001

pesticide illnesses. NIOSH now partially supports programs in the states of Florida, New York, Oregon, and Texas, which make use of the standards that the working group defined. This NIOSH program also supports pesticide work by the Occupational Health Branch of the California Department of Health Services, which coordinates closely with the DPR program.

Changes to the Data Collection Program

The PISP continues to collect data using the revised and enhanced computer program that debuted in 1998. The new program provided the opportunity to increase the amount of data collected and to organize it more logically. Analysis is in progress to develop a system to make surveillance data available to the public via the DPR Internet web site.

The new system's most obvious change concerns the categories into which the program classifies the activities of the affected people. Under the former system, activity codes combined aspects of occupation, mechanism of exposure, and equipment used. The new, expanded system provides three separate entries for activity, exposure, and equipment used. We can identify the activities of people who were drifted upon and distinguish among sprays, spills, and drift exposures to applicators.


The new system also allows us to record registration numbers, types of formulation, and application dates and sites individually for an unlimited number of different pesticides in each case. This allows us to respond more fully and accurately to inquiries about particular products and uses.

1999 Numeric Results -- Totals

During 1999, DPR received reports of 1,629 people whose health may have been affected by pesticide exposure. After investigation, WH&S analysts found that pesticide exposure had been at least a possible contributing factor to 1,201 (74 percent) of the 1,629 cases. Of those 1,201 cases, 555 (46 percent) involved use of pesticides for agricultural purposes and 646 (54 percent) occurred in other settings. Evidence established a definite relationship to pesticide exposure for 195 of the cases. Another 635 were classified as probable, with 371 entered as possible. Of the

1,629 cases investigated, 428 either had insufficient data available to evaluate the case (117 cases) or evidence established an unlikely or unrelated relationship to pesticide exposure (311 cases). Tabular summaries presenting different aspects of the data are available through DPR's Web site at <www.cdpr.ca.gov>, or by contacting the WH&S Branch.

Figure 1: Outcome of 1999 Pesticide Illness Investigations^a



^aTotal cases investigated = 1,629

^bAgricultural and Non-Agricultural refers to the intended use of the pesticide (or the exposure setting where no pesticide use was involved).

^cUnlikely/Unrelated/Asymptomatic refers to cases determined as unlikely related or unrelated to pesticide exposure or the exposed person did not develop symptoms.

^dInadequate Data means that there was not enough data available or reported to determine if pesticides were involved in the case.

The 1,629 total cases investigated in 1999 represent an increase of 148 (10 percent) relative to 1998, when 1,481 cases were investigated because of some indication that they might reflect adverse effects of pesticides. There was an increase of 203 (20 percent) pesticide-related cases in 1999 (1,201 cases) relative to 1998 (998 cases). The increase reflects the impact of several major episodes, especially one in which breakdown products of the pesticide metam-sodium drifted into the town of Earlimart, prompting an evacuation. At least 170 individuals developed health complaints linked to this incident. Another 62 people were affected by an application of diazinon to shrubbery at a school, and 54 were affected by gas generated when incompatible chemicals (citric acid and sodium hypochlorite) were combined inadvertently in the course of a delivery to a packing house. The largest group episode of 1998, by comparison, involved 34 field workers

Pesticide Illness Surveillance Program – 1999
February 15, 2001


who unknowingly entered a sprayed cotton field prior to the expiration of the restricted entry interval.

Occupational exposures (those that occurred while the affected people were at work and eligible for workers' compensation) accounted for 804 (67 percent) of the 1,201 pesticide-related cases identified during 1999. Actions already prohibited by pesticide safety regulations contributed to 594 (49 percent) of the 1,201 cases evaluated as definitely, probably, or possibly related to pesticide exposure. Investigations did not clearly establish whether or not violations contributed to pesticide exposure in 78 other cases, and violations were identified in 111 more cases in which they did not contribute directly to the problem. This indicates that safety could be further improved through increased compliance efforts. In 1999, DPR established the Enforcement Initiative, a program to thoroughly evaluate and improve all aspects of enforcement of pesticide safety laws and regulations. In addition, WH&S staff initiated meetings with worker safety advocacy groups, agricultural industry groups, and the County Agricultural Commissioners to assist in evaluating the effectiveness of existing regulations and to determine what is needed to improve farm worker safety.

Agricultural Field Worker Incidents

In 1999, 134 cases involving field worker illness and injury were reported. Exposure to residue was implicated for 82 field workers. Another 42 field workers were exposed to drift, and 10 encountered other or unknown exposures. Due to changes in the database, the number of field workers exposed to residue may not be exactly comparable to the numbers of individuals reported exposed to field residue prior to 1998. Before 1998, the category 'exposed to field residue' included all people who had any sort of contact with pesticide residue on crops, including smelling it while passing by.

**Figure 2: Field Worker Exposure,
1999^a**



^a Total field workers cases for 1999 = 134

^b Drift refers to field workers exposed to drift while working in agricultural fields.

^c Residue refers to field workers exposed to pesticide residue on crops.

Of the total 134 cases of field workers exposed to pesticides by any mechanism, DPR classified 93 as possible and 41 as probable. Exposures to residue gave rise to 59 of the cases classified as possible and 23 of those classified as probable. Illegal reentry during the restricted entry interval contributed to only eleven (13 percent) of the 82 cases of field workers exposed to residue. Other violations contributed to 28 (34 percent) of the 82, including eight that also involved reentry violations.

WH&S scientists assisted the CAC investigators and became involved in two major investigations of field worker reentry episodes. In one incident, grape harvesters experienced sneezing, flu-like symptoms, and burning and itching on their arms, neck, face, and eyes about three hours after entering a vineyard where they had not worked before. Seven workers sought and received medical treatment. WH&S sent scientists to collect and transport foliage samples to the laboratory for dislodgeable residue analysis.

Pesticide use reports indicated that dusting sulfur and propargite had been applied to the grapevines. Analysis of the initial foliage samples revealed that λ -cyhalothrin, which is not registered for use on grapes, had been applied at a rate far above rates recommended for any crop. The Fresno County Agricultural Commissioner declared the episode field to be a hazardous area due to high levels of propargite residues and illegal λ -cyhalothrin residues. In addition, WH&S scientists conducted a focused foliage sampling effort to determine if cyhalothrin was in use in other vineyards and to determine the amount of propargite in other vineyards.

Pesticide Illness Surveillance Program – 1999
February 15, 2001

Investigation ultimately determined that the pesticide had been delivered in error, and that workers making a scheduled application had included the unexpected product without consulting their supervisors. Samples from other local vineyards demonstrated that the application had not contaminated neighboring fields and cyhalothrin was not used in other vineyards. In addition, the incident vineyard had propargite levels comparable to other vineyards treated similarly. While propargite residue may have contributed to the incident, the high levels of λ -cyhalothrin were considered the primary cause of the outbreak.

WH&S had no scientific data from which to estimate the decay rate for such high residues of λ -cyhalothrin. Consequently, on October 26, 1999, WH&S issued a guidance to Fresno County, specific to the incident vineyard stating that 1) employees must not perform any activities involving foliar contact and 2) all persons must wear specified personal protective equipment for field entry that did not involve foliar contact. The licensed pesticide dealer was fined \$1,000 for selling or delivering a pesticide for a use not shown on the label. In addition, the applicator was fined \$1,000 for using a pesticide in conflict with the label.

In a second incident, a crew entered a Kern County cotton field about five hours after it was treated with a mixture of tribufos and sodium chlorate. Entry to this field should have been restricted for 24 hours following the application. Workers were removed from the field after three hours of work. All eight workers were evaluated medically, although only one worker experienced symptoms at the time. The next day, WH&S scientists collected foliage samples and transported some of the workers' contaminated clothing to the laboratory in Sacramento for analysis, which confirmed presence of tribufos.

During the next three weeks, seven of the eight workers sought treatment for symptoms including nausea, vomiting, abdominal cramping, diarrhea, constipation, muscle soreness and weakness, headache, intermittent dizziness, shortness of breath, fatigue, chest pain, cough, sore throat, ear pain, congestion, dermal burning, rash and skin lesions, hair loss, and night sweats. All seven persons reported symptoms at their 1-week post-exposure check-ups. Five of the seven reported persistent symptoms at follow-up evaluations 2 weeks post-exposure. Two of

Pesticide Illness Surveillance Program – 1999
February 15, 2001


Pesticide
February

these five women were admitted to hospital approximately three weeks post-exposure. WH&S's Medical Consultant provided telephone consultation to the primary care physician regarding the two women admitted to hospital. Some of the workers continue to have health problems. WH&S is developing a separate report on this incident. The county identified several violations, including early reentry, failure to provide accurate notification regarding the application and failure to post the field. Administrative civil penalties of more than \$5,000 were issued to the applicator and the cotton grower.

Drift Exposure

As in 1998, drift exposures accounted for the largest number of pesticide exposures in 1999. A total of 570 individuals reported symptoms definitely, probably or possibly related to exposure to drift. This includes the 170 people identified as affected by the episode at Earlimart, in addition to 42 field workers, 81 people packing or processing harvested crops, 15 mixer/loaders and 64 applicators. Drift from agricultural applications was responsible for 361 of the 570 drift exposures, including all 42 field workers and 65 of the 81 packers, but only 15 of the applicators and none of the mixer/loaders.

Figure 3: Drift Exposures by Activity,
1999^a



^a Total drift cases for 1999 = 570

^b Routine Indoor includes people in offices and businesses, residential structures, etc. (occupational and non-occupational) who are not handling pesticides.

^c Routine Outdoor includes people outdoors (occupational and non-occupational) with little expectation of contacting pesticides (e.g. gardeners not handling pesticides, residents).

^d Packer/Processor includes persons involved in processing harvested crops.

^e Handler includes people mixing, loading and applying pesticides; repairing pesticide equipment; and flagging for aerial applications.

As mentioned previously, three significant drift episodes accounted for 286 of the 570 people with symptoms definitely, probably, or possibly caused by drift exposure. The largest occurred in November 1999, when the Wilbur-Ellis Company fumigated a 75-acre field near the town of Earlimart with metam-sodium. Fumes drifted into an adjacent residential area, forcing about 180 residents to evacuate their homes. About 46 sought medical attention, and about 28 have reported ongoing medical problems. DPR recorded 170 symptomatic individuals as definitely, probably, or possibly affected by exposure in this episode. An investigation by DPR and the Tulare County Agricultural Commissioner's Office concluded that Wilbur-Ellis failed to use appropriate safeguards to prevent the fumes from drifting.

DPR reached a settlement with Wilbur-Ellis, under which the company agreed to pay DPR \$75,000 in civil penalties. The settlement provides another \$75,000 for continued medical monitoring for Earlimart residents. In addition to the settlement's financial terms, Wilbur-Ellis agreed to take corrective action on the firm's future use of metam-sodium in California. Among other conditions sought by DPR, Wilbur-Ellis agreed to provide drift reduction training for supervisors and applicators in California, and develop an emergency response notification plan by November 1, 2000. The settlement also requires all California employees of Wilbur-Ellis to

receive appropriate training before they handle or apply metam-sodium products. DPR will monitor worker training.

The second significant drift episode occurred when a delivery driver's error caused evacuation of about 100 people from a San Diego County packing plant.¹ He began pumping citric acid into the facility's sodium hypochlorite storage tank. Ordinarily, sanitation equipment combines the two chemicals in small and carefully controlled amounts. More than fifty people developed symptoms attributed to exposure to the chlorine gas generated by this unintentional combination.

Another major episode took place at a San Diego County school. A maintenance worker sprayed shrubbery with diazinon during school hours, and the ventilation system distributed the odor within the school building. The school nurse contacted several students with known respiratory problems and sent them home before they developed symptoms. The administration allowed students to leave if they felt the exposure affected them, and several dozen students and one teacher reported symptoms.

WH&S became involved in the investigation of another drift episode, requesting the collection of urine samples from a construction crew that reported drift from a nearby aerial application, and retrieving those samples and some articles of clothing for analysis. Laboratory results substantiated the workers' complaints, identifying naled as well as chlorpyrifos in their clothing, and chlorpyrifos metabolites in their urine. A fine of \$3,000 was levied against the applicator.

Morbidity and Mortality

Among the 830 cases evaluated after investigation as definitely or probably related to pesticide exposure, 32 people were hospitalized and 126 lost time from work. Of the 371 possible cases, two reported hospitalization and 51 lost work time.

In 1999, there were eight fatalities investigated; four proved related to pesticide exposure, contradictory information prevented classification of two fatalities and two fatalities were proved unrelated to pesticide exposure. The pesticide-related fatalities included two ingestions, an

Pesticide Illness Surveillance Program – 1999
February 15, 2001

explosion, and the death of a person who had crawled under tarps of a structure under fumigation.

Of the two ingestion fatalities, one ingestion was still under investigation by police at the close of the pesticide investigation. Although it is certain that death resulted from pesticide ingestion, no conclusion can be made as to whether the decedent intended to commit suicide, committed a fatal error, or was the victim of foul play. The other ingestion was considered a suicide.

In Los Angeles County, a worker was killed in an explosion and fire at a facility that ripened bananas using ethylene gas. (Ethylene gas is regulated as a pesticide.) The fire department and the state Occupational Safety and Health Administration continued to investigate this episode after termination of the pesticide investigation.

A person was found dead in an alley one morning. A homeless man who frequented the area reported that he had spoken with the decedent the previous night, and that the victim had said he felt sick because he had been in a house under fumigation. On this basis, a post-mortem blood sample was analyzed for fluoride. A positive result confirmed sulfuryl fluoride intoxication as the cause of death.

Due to contradictory information, the death of another person could not be evaluated, although his body was found in a fumigated structure. Tests were reported as documenting an elevated fluoride level in the victim, but the pest control operator maintained that he had fumigated the structure with methyl bromide. No information could be obtained to resolve the contradiction.

No conclusion could be reached, either, regarding pesticide involvement in the death of an agricultural worker whose body was found near an opened water-soluble package of methomyl. Some testimony indicated that the man may have opened the methomyl to make bait (methomyl sprinkled on hot dogs) for coyotes (an illegal use of the product in several respects) and suspicion was high that he had absorbed the pesticide through his skin. Toxicologic testing, however, identified benzothiazole as the toxicant. Although benzothiazole-related compounds

are used in some pesticide products for sanitation, preservation of wood, and to control fungi during industrial processes, no source could be determined in this case. The substance also has non-pesticidal uses, such as antifreeze and has been found in asphalt fumes and reservoir sediments.

Two deaths were found unrelated to pesticide exposure. An aerial applicator died in surgery two days after crashing a helicopter. He was alert following the accident, and reported mechanical malfunction in his aircraft. The other fatality involved a ground applicator who fell beneath the wheels of his tractor and was crushed.

Examples of the Importance of Compliance with Safety Procedures

Severe intoxications typically result from careless and often illegal use of pesticides. In two separate episodes, two children were hospitalized during 1999 after exposing themselves to insecticides that they found in soft drink containers at their homes. In one instance a young boy found the soda container on a workbench and drank from it before realizing it did not contain the expected beverage. In the other case, a parent mixed malathion and chlorpyrifos in a soda can, intending to drop the can into a sprayer and fill it with water. He was distracted long enough to allow a toddler to grab the can and spill the contents on his skin and lips. Both children were successfully treated at local hospitals. Regulations prohibit storing pesticides in any container that does not identify the contents appropriately. Using a food container for the purpose compounds the danger.

Two other children were exposed to pesticides they found in unattended spray containers. One child found a nearly empty sprayer and played with it, spilling the contents all over her skin. The parent assumed the container was empty, but did not wash the container after completing the application. The child had massive dermal exposure and was hospitalized. Another child was able to knock a spray bottle from the top of the refrigerator by slamming the door. She proceeded to spray the contents into her mouth, as the spray bottle was similar to one the family used for water. Both children were successfully treated at local hospitals.

Pesticide Illness Surveillance Program – 1999
February 15, 2001

Results of Cooperation with Poison Control

As discussed previously, DPR constantly attempts to improve reporting of pesticide illnesses. In 1999, DPR contracted with the U.S.EPA to evaluate the potential of using poison control contacts with physicians to assist them in reporting pesticide cases. Under terms of the contract, poison control technicians reminded health care workers that State law requires doctors to report any disease or condition that they suspect of deriving from pesticide exposure. The poison control staff also offered to record the information required and to fulfill the reporting requirement on the doctor's behalf.

DPR logged 284 poison control-mediated cases during 1999. After investigation, 232 of these were evaluated as definitely, probably, or possibly related to pesticide exposure. Of the 397 cases reported by all methods (PIR, DFROII, poison control) that were associated with non-occupational exposures, poison control mediated 26% (102 cases) of the reports. In particular, poison control reported 22 of the 57 total cases involving children younger than ten years old and 15 of the 34 in which people were admitted to hospitals for at least 24 hours. Poison control reported all ten of the case reports received regarding ingestion of pesticides by children, and all but two of the 18 reported cases of intentional pesticide ingestion. Ingestions by young children were not recorded as intentional.

Those figures demonstrate the importance of poison control intervention to identify non-occupational and pediatric pesticide exposures. This cooperation has been valuable to DPR surveillance, which otherwise has limited ability to detect health problems caused by home-use pesticides.

Poison control intervention also helps to expedite reporting. DPR received 261 notifications within one week of the occurrence; poison control mediated 186 those reports, including 12 of 14 that arrived on the day of the event and 35 of 40 cases that arrived the day after exposure occurred. The average time from exposure to report was just 22 days for reports mediated by poison control, compared to 77½ days for all other reports. Prompt notification enhances the

Pesticide Illness Surveillance Program – 1999
February 15, 2001

value of investigation, as county agricultural commissioners take advantage of the opportunity to collect environmental samples and to interview the people involved.

References

GAO 1993. Pesticides on Farms: Limited capability exists to monitor occupational illnesses and injuries. Report to the Chairman, Committee on Agriculture, Nutrition, and Forestry, U.S. Senate GAO/PEMD-94-6.

3. Data Quality: Evaluation of the completeness of the provided information

- Complete : All of the information is included in the investigation; all medical evidence, physical evidence and a complete description of the incident. This description should include an adequate work history, adequate application history (when appropriate), interviews of all significant people, etc.
- Adequate : Sufficient information is available to make an informed judgment on the relationship between pesticide exposure and the reported symptomatology (i.e., symptomatology and pesticide exposure information are available).
- Insufficient : The available information is inadequate to make an informed judgment on the relationship between pesticide exposure and the reported symptomatology. For submitted investigations, the investigator failed to make an adequate attempt to obtain the necessary information.
- Unavailable : The available information is inadequate to make an informed judgment on the relationship between pesticide exposure and the reported symptomatology. For submitted investigations, the investigator made an adequate attempt to collect the necessary information, but was not able to do so (e.g., none of the parties concerned could be contacted). There usually needs to be more effort than to say the employee is not available for interview; other parties can often supply useful information.

4. Occupational/Non-Occupational: The relationship between the illness/injury and the individual's work.

- Occupational : Work related. The individual was on the job at the time of the incident. This includes both paid employees and volunteers working in similar capacity to paid employees.
- Non-Occupational : Not work related. The individual was not on the job at the time of the incident. This category includes individuals while on the way to or from work (before the start or after the end of their workday).

5. Relationship: Degree of correlation between pesticide exposure and resulting symptomatology.

- DEFinite : High degree of correlation between pattern of exposure and resulting symptomatology. Requires both medical evidence (such as measured cholinesterase inhibition, positive allergy tests, characteristic signs observed by medical professional) and physical evidence of exposure (environmental and/or biological samples, exposure history) to support the conclusions.
- PRObable : Relatively high degree of correlation exists between the pattern of exposure and the resulting symptomatology. Either medical or physical evidence is inconclusive or unavailable.
- Possible : Some degree of correlation evident. Medical and physical evidence are inconclusive or unavailable.
- UNLIKELY : A correlation cannot be ruled out absolutely. Medical and/or physical evidence suggest a cause other than pesticide exposure.
- INDIRECT : Pesticide exposure is not responsible, but pesticide regulations or product label contributed in some way, (e.g., heat stress while wearing chemical resistant clothing).
- Unrelated : Either: (a) Definite evidence of cause other than pesticide exposure including exposures to chemicals other than pesticides, or (b) No illness/injury occurred. Cholinesterase depression without symptoms falls in this category.

6. N/A: Not Applicable.

Pesticide-Related Illnesses and Injuries Reported by Physicians in California
 Summarized by Activity and Type of Illness/Injury¹
 1999

OCCUPATIONAL²

ACTIVITY ³	EQUIPMENT ⁴ / EXPOSURE MECHANISM ⁵	ILLNESS/INJURY TYPE & RELATIONSHIP										TOTAL	
		SYSTEMIC ⁶		EYE ⁶		SKIN ⁶		EYE/SKIN ⁶		Def/Pro ⁷	Pos ⁷	Def/Pro ⁷	Pos ⁷
		Def/Pro ⁷	Pos ⁷	Def/Pro ⁷	Pos ⁷	Def/Pro ⁷	Pos ⁷	Def/Pro ⁷	Pos ⁷				
Mixer/Loader	Aerial	2	1	0	0	0	0	0	0	0	0	2	1
	Ground	2	0	1	0	2	1	0	0	0	0	5	1
	Hand	1	0	5	0	0	0	0	0	0	0	6	0
	Chamber (Fumigant)	0	0	1	0	0	0	0	0	0	0	1	0
	Other/Unknown	13	1	31	2	1	1	1	0	0	0	46	4
	Other/Unknown (Fumigant)	1	0	0	0	0	0	0	0	0	0	1	0
Applicator	Ground	4	11	0	1	10	7	1	0	0	0	15	19
	Ground (Fumigant)	0	1	0	0	0	0	0	0	0	0	0	1
	Hand	16	9	21	4	9	11	1	0	0	0	47	24
	Hand (Fumigant)	1	0	1	0	0	0	1	0	0	0	2	1
	Chamber	2	0	1	0	0	0	0	0	0	0	3	0
	Chamber (Fumigant)	0	1	0	0	0	0	0	0	0	0	0	1
Other/Unknown	Tarp (Fumigant)	1	1	0	0	0	0	0	0	0	0	1	1
	Other/Unknown	19	6	37	1	13	7	2	0	0	0	71	14
	Mechanical Work on Contaminated Equipment	9	2	9	0	1	0	1	0	0	0	20	2
	Packer/Processor (Commodity)	81	0	0	0	0	0	0	0	0	0	81	0
	Exposed to Drift	0	1	0	0	0	3	1	2	1	6		
	Exposed to Residue	1	1	1	0	0	1	0	0	0	2		
Field Worker	Other/Unknown Exposure	10	29	0	1	0	2	0	0	0	0	10	32
	Exposed to Drift	23	17	0	7	0	32	0	3	23	59		
	Exposed to Residue	6	2	0	0	2	0	0	0	0	8	2	
	Other/Unknown Exposure												

OCCUPATIONAL (continued)

ACTIVITY ³	EQUIPMENT ⁴ /EXPOSURE MECHANISM ⁵	ILLNESS/INJURY TYPE & RELATIONSHIP						TOTAL		
		SYSTEMIC ⁶		EYE ⁶		SKIN ⁶				
		Def/Pro ⁷	Pos ⁷	Def/Pro ⁷	Pos ⁷	Def/Pro ⁷	Pos ⁷	Def/Pro ⁷	Pos ⁷	Def/Pro ⁷
Routine Indoor Activity	Exposed to Drift	29	9	2	0	0	0	0	0	31
	Exposed to Residue	51	20	2	1	2	0	0	0	9
	Other/Unknown Exposure	7	10	2	0	0	2	0	0	21
Routine Outdoor Activity	Exposed to Drift	23	2	0	0	0	0	0	0	9
	Exposed to Residue	0	1	0	0	0	1	0	0	12
	Other/Unknown Exposure	0	2	1	0	0	1	0	0	2
Manufacture/Formulation	0	0	0	0	0	0	0	0	0	2
Transport/Storage/Disposal	14	1	20	2	5	1	1	0	0	2
Emergency Response	12	1	0	0	0	0	0	0	0	4
Other Occupational Activity	31	11	5	3	7	2	1	0	0	12
Unknown Occupational Activity	1	0	0	0	1	0	0	0	0	1
<i>Occupational Totals</i>	<i>360</i>	<i>140</i>	<i>140</i>	<i>22</i>	<i>54</i>	<i>72</i>	<i>10</i>	<i>6</i>	<i>564</i>	<i>240</i>

NON-OCCUPATIONAL² (less fully reported than occupational cases)

ACTIVITY ³	EQUIPMENT ⁴ /EXPOSURE MECHANISM ⁵	ILLNESS/INJURY TYPE & RELATIONSHIP						TOTAL	
		SYSTEMIC ⁶		EYE ⁶		SKIN ⁶		EYE/SKIN ⁶	
		Def/Pro ⁷	Pos ⁷	Def/Pro ⁷	Pos ⁷	Def/Pro ⁷	Pos ⁷	Def/Pro ⁷	Pos ⁷
Mixer/Loader	Other/Unknown	4	0	0	0	0	0	0	0
	Hand	8	6	4	0	4	0	0	4
	Other/Unknown	8	0	1	0	1	0	0	16
Applicator	Other/Unknown Fumigant	1	0	0	0	0	0	0	0
	Mechanical Work on Contaminated Equipment	0	2	0	0	0	0	0	0
	Exposed to Drift	99	86	11	1	0	2	0	0
Routine Indoor Activity	Exposed to Residue	23	8	1	1	0	5	0	1
	Other/Unknown Exposure	13	0	0	0	1	0	0	0
	Routine Outdoor Activity	33	9	6	0	0	0	0	110
Routine Outdoor Activity	Exposed to Drift	33	9	6	0	0	0	0	0
	Exposed to Residue	2	1	0	0	0	2	0	2
	Other/Unknown Exposure	2	1	0	0	0	0	0	89
Transport/Storage/Disposal	Other Non-Occupational Activity	37	5	4	0	0	0	0	24
	Unknown-Non-Occupational Activity	0	2	0	0	0	0	0	14
	<i>Non-Occupational Totals</i>	231	120	27	2	6	9	2	39
1999 Totals		591	260	167	24	60	81	12	6
									371

1. Source: California Department of Pesticide Regulation, Pesticide Illness Surveillance Program.

"Pesticide-related" means a determination was made that the illness/injury was definitely, probably or possibly related to pesticide exposure (see definitions below).

2. Occupational/Non-occupational: The relationship between the illness/injury and the individual's work.

Occupational : Work related. The individual was on the job at the time of the incident. This includes both paid employees and volunteers working in similar capacity to paid employees.

Non-Occupational : Not work related. The individual was not on the job at the time of the incident. This category includes individuals while on the way to or from work (before the start or after the end of their workday).

3. Activity: Activity of the exposed individual at the time of exposure

- Mixer/Loader : Mixes and/or loads pesticides. This includes: (1) removing a pesticide from its original container, (2) transferring the pesticide to a mixing or holding tank, (3) mixing pesticides prior to application, (4) driving a nurse rig, or (5) transferring the pesticide from a mixing/holding tank or nurse rig to an application tank.
- Applicator Mechanical Work on Contaminated Equipment : Applies pesticides by any method or conducts activities considered ancillary to the application (e.g., cleans spray nozzles in the field). Maintains (e.g. cleans, repairs or conducts maintenance) pesticide-contaminated equipment used to mix, load or apply pesticides as well as the protective equipment used by individuals involved in such activities. This excludes the following: 1) maintenance performed by applicators on their equipment incidental to the application (classified as 'Applicator'); 2) maintenance performed by mixer/loaders on their equipment incidental to mixing and loading (classified as 'Mixer/Loader'); and 3) decontamination by HAZMAT teams (classified as 'Emergency Response').
- Packer/ Processor Field Worker : Handles (packs, processes or retails) agricultural commodities from the packing house to the final market place. Field packing of agricultural commodities is classified as 'Field Worker'.
- Routine Indoor Activity : Works in an agricultural field performing tasks such as advising, scouting, harvesting, thinning, irrigating, driving tractor (except as part of an application), field packing, conducting cultural work in a greenhouse, etc. Researchers performing similar tasks in an agricultural field are also included.
- Routine Outdoor Activity : Conducts activities in an indoor environment with minimal expectation for exposure to pesticides. This includes people in offices and businesses, residential structures, etc. who are not handling pesticides.
- Manufacture/ Formulation Transport/ Storage/ Disposal Emergency Response Other Activity : Conducts activities in an outdoor environment with minimal expectation for exposure to pesticides. This excludes field workers in agricultural fields. This includes gardeners who are not handling pesticides.
- : Manufactures, processes or packages pesticides. This includes "mixing" if it is done in a plant for application elsewhere.
- : Transports or stores pesticides between packaging and preparation for use. This includes shipping, warehousing and retailing as well as storage by the end-user prior to preparation for use. Disposal of unused pesticides is also included in this activity. This excludes driving a nurse rig to an application site.
- : Emergency response personnel (Police, fire, ambulance and HAZMAT personnel) responding to a fire, spill, accident or any other pesticide incident in the line of duty.
- : Activity is not adequately described by any other activity category. This includes: 1) being inside a vehicle; 2) dog groomers not handling pesticides; 3) individuals handling pesticide treated wood; 4) two or more activities with potential for pesticide exposure.
- Unknown Activity : Activity is not known.

4. Equipment: Type of equipment used for an application.

- | | |
|---------|--|
| Aerial | : Aerial application equipment (fixed wing or helicopter). |
| Ground | : Ground application equipment. |
| Hand | : Hand-held application equipment that propels a pesticide from a reservoir. |
| Chamber | : An enclosed, sealed chamber designed specifically for fumigating or sterilizing the contents of the chamber. |
| Tarp | : Tarp placed over a commodity, structure, or field that is designed to restrict a fumigant to the application site. |
| Other | : Any application methodology not described above. |
| Unknown | : The type of application equipment is not known. |

Note: : Equipment with a 'Fumigant' designation involves only fumigants.

5. Exposure: Characterization of how an individual came in contact with a pesticide

- | | |
|---------|--|
| Drift | : Spray, mist, fumes, or odor carried from the target site by air. Drift must be related to an application or mix/load activity. |
| Residue | : The part of a pesticide that remains in the environment for a period of time following an application or drift. This includes odor after the completion of an application. |
| Other | : Other route of exposure. |
| Unknown | : Route of exposure is not known |

6. Type of Illness: Categorization of the type of symptoms experienced.

- | | |
|----------|---|
| Systemic | : Any health effects not limited to the skin and/or eye. Cases involving multiple illness symptom types including systemic symptoms are included in the systemic category. |
| Eye | : Health effects involving only the eyes. This excludes outward physical signs (miosis and lacrimation) related to effects on internal bodily systems. These signs are classified under 'Systemic'. |
| Skin | : Health effects involving only the skin. |
| Eye/Skin | : Health effects involving the eye and skin. |

7. Relationship: Degree of correlation between pesticide exposure and resulting symptomatology.

- | | |
|----------|---|
| DEFinite | : High degree of correlation between pattern of exposure and resulting symptomatology. Requires both medical evidence (such as measured cholinesterase inhibition, positive allergy tests, characteristic signs observed by medical professional) and physical evidence of exposure (environmental and/or biological samples, exposure history) to support the conclusions. |
| PRObable | : Relatively high degree of correlation exists between the pattern of exposure and the resulting symptomatology. Either medical or physical evidence is inconclusive or unavailable. |
| POSSible | : Some degree of correlation evident. Medical and physical evidence are inconclusive or unavailable. |

February 15, 2001

Hospitalization and Disability Associated with Illnesses/Injuries
Definitely or Probably Related to Pesticide Exposure in California^{1,2}
1999

OCCUPATIONAL ILLNESS AND INJURY³

ACTIVITY ⁴	EQUIPMENT ⁵ / EXPOSURE MECHANISM ⁶	TOTAL CASES	HOSPITALIZATION ⁷			DISABILITY ⁸		
			Number of Cases			Total Days Reported	Days Known	Number of Cases
			Days Known	Indefinite	Unknown			
Mixer/Loader	Aerial	2	0	0	0	0	0	0
	Ground	5	0	0	0	0	0	0
	Hand	6	0	0	0	0	0	2
	Chamber (Fumigant)	1	0	0	0	0	0	2
	Other/Unknown	46	0	0	0	0	0	0
	Other/Unknown (Fumigant)	1	0	0	0	0	1	0
	Ground	15	0	0	0	0	0	7
	Hand	47	0	0	1	0	1	0
Applicator	Hand (Fumigant)	2	0	0	0	0	0	7
	Chamber	3	0	0	0	0	0	1
	Chamber (Fumigant)	1	0	0	0	0	0	1
	Other/Unknown	71	0	0	0	0	0	1
	Mechanical Work on Contaminated Equipment	20	0	0	1	2	0	12
Pack/Process (Commodity)	Exposed to Drift	81	1	0	1	5	8	6
	Exposed to Residue	1	0	0	0	0	0	1
	Other/Unknown Exposure	2	0	0	0	0	0	4
Field Worker	Exposed to Drift	10	0	0	0	4	0	0
	Exposed to Residue	23	0	0	10	17	7	1
	Other/Unknown Exposure	8	0	0	0	0	0	7
Routine Indoor Activity	Exposed to Drift	31	0	0	0	0	0	0
	Exposed to Residue	55	1	0	0	1	1	5
	Other/Unknown Exposure	9	1	0	0	3	1	14

PISP: Summary of Hospitalization and Disability Associated with Definitely and Probably Related Illnesses/Injuries

ACTIVITY ⁴	EQUIPMENT ⁵ /EXPOSURE MECHANISM ⁶	TOTAL CASES	HOSPITALIZATION ⁷				DISABILITY ⁸			
			Days Known	Indefinite	Unknown	Total Days Reported	Days Known	Indefinite	Unknown	Total Days Reported
Routine Outdoor Activity	Exposed to Drift Other/Unknown Exposure	24	0	0	0	0	9	0	2	8
Manufacture/Formulation		1	0	0	0	0	0	0	0	0
Transport/Storage/Disposal		40	0	0	0	0	1	0	0	0
Emergency Response	-	12	1	0	0	0	1	0	8	15
Other Occupational Activity		44	0	0	2	0	1	0	0	0
Unknown Occupational Activity		2	0	0	0	0	6	7	2	35
<i>Occupational Totals</i>		564	4	0	15	32	50	7	108	293

NON-OCCUPATIONAL ILLNESS AND INJURY³ (less fully reported than occupational cases)

Mixer/Loader	Other/Unknown Exposure	4	0	0	0	0	2	0	0	0
Applicator	Hand	16	0	0	0	0	2	1	2	3
	Other/Unknown Exposure	10	0	0	0	0	3	0	1	2
	Other/Unknown (Fumigant)	1	0	0	0	0	0	0	0	0
Routine Indoor Activity	Exposed to Drift Exposed to Residue	110	0	0	0	0	82	0	0	0
	Other/Unknown Exposure	24	0	0	0	0	13	0	0	0
	Exposed to Drift Exposed to Residue	14	1	0	4	11	7	0	2	4
Routine Outdoor Activity	Exposed to Drift Exposed to Residue	39	0	0	0	0	28	0	1	4
	Other/Unknown Exposure	3	0	0	0	0	2	0	0	0
	Transport/Storage/Disposal	1	0	0	0	0	0	0	1	4
Other Non-Occupational Activity		42	3	1	11	55	15	1	2	12
<i>Non-Occupational Totals</i>		266	4	1	16	69	156	2	9	29
Definite/Probable Case Totals		830	8	1	31	101	206	9	117	322

1. Source: California Department of Pesticide Regulation, Pesticide Illness Surveillance Program.

2. Relationship: Degree of correlation between pesticide exposure and resulting symptomatology.

- Definite** : High degree of correlation between pattern of exposure and resulting symptomatology. Requires both medical evidence (such as measured cholinesterase inhibition, positive allergy tests, characteristic signs observed by medical professional) and physical evidence of exposure (environmental and/or biological samples, exposure history) to support the conclusions.
- Probable** : Relatively high degree of correlation exists between the pattern of exposure and the resulting symptomatology. Either medical or physical evidence is inconclusive or unavailable.

3. Occupational/Non-occupational: The relationship between the illness/injury and the individual's work.

- Occupational** : Work related. The individual was on the job at the time of the incident. This includes both paid employees and volunteers working in similar capacity to paid employees.
- Non-occupational** : Not work related. The individual was not on the job at the time of the incident. This category includes individuals while on the way to or from work (before the start or after the end of their workday).

4. Activity: Activity of the exposed individual at the time of exposure

- Mixer/Loader** : Mixes and/or loads pesticides. This includes: (1) removing a pesticide from its original container, (2) transferring the pesticide to a mixing or holding tank, (3) mixing pesticides prior to application, (4) driving a nurse rig, or (5) transferring the pesticide from a mixing/holding tank or nurse rig to an application tank
- Applicator** : Applies pesticides by any method or conducts activities considered ancillary to the application (e.g., cleans spray nozzles in the field).
- Mechanical Work** : Maintains (e.g., cleans, repairs or conducts maintenance) pesticide-contaminated equipment used to mix, load or apply pesticides as well as the protective equipment used by individuals involved in such activities. This excludes the following: 1) maintenance performed by applicators on their equipment incidental to the application (classified as 'Applicator'); 2) maintenance performed by mixer/loaders on their equipment incidental to mixing and loading (classified as 'Mixer/Loader'); and 3) decontamination, by HAZMAT teams (classified as 'Emergency Response').
- Packer/Processor** : Handles (packs, processes or retails) agricultural commodities from the packing house to the final market place. Field packing of agricultural commodities is classified as 'Field Worker'.
- Field Worker** : Works in an agricultural field performing tasks such as advising, scouting, harvesting, thinning, irrigating, driving tractor (except as part of an application), field packing, conducting cultural work in a greenhouse, etc. Researchers performing similar tasks in an agricultural field are also included.
- Routine Indoor** : Conducts activities in an indoor environment with minimal expectation for exposure to pesticides. This includes people in offices and businesses, residential structures, etc. who are not handling pesticides.
- Routine Outdoor** : Conducts activities in an outdoor environment with minimal expectation for exposure to pesticides. This excludes field workers in agricultural fields. This includes gardeners who are not handling pesticides.
- Manufacture/Formulation** : Manufactures, processes or packages pesticides. This includes "mixing" if it is done in a plant for application elsewhere.
- Transport/Storage/Disposal** : Transports or stores pesticides between packaging and preparation for use. This includes shipping, warehousing and retailing as well as storage by the end-user prior to preparation for use. Disposal of unused pesticides is also included in this activity. This excludes driving a nurse rig to an application site.

4. Activity: Activity of the exposed individual at the time of exposure (continued)

- | | | |
|--------------------|---|--|
| Emergency Response | : | Emergency response personnel (Police, fire, ambulance and HAZMAT personnel) responding to a fire, spill, accident or any other pesticide incident in the line of duty. |
| Other | : | Activity is not adequately described by any other activity category. This includes: 1) being inside a vehicle; 2) dog groomers not handling pesticides; 3) individuals handling pesticide treated wood; 4) two or more activities with potential for pesticide exposure. |
| Unknown | : | Activity is not known. |

5. Equipment: Type of equipment used for an application.

- | | | |
|---------|---|--|
| Aerial | : | Aerial application equipment (fixed wing or helicopter). |
| Ground | : | Ground application equipment. |
| Hand | : | Hand-held application equipment that propels a pesticide from a reservoir. |
| Chamber | : | An enclosed, sealed chamber designed specifically for fumigating or sterilizing the contents of the chamber. |
| Tarp | : | Tarp placed over a commodity, structure, or field that is designed to restrict a fumigant to the application site. |
| Other | : | Any application methodology not described above. |
| Unknown | : | The type of application equipment is not known. |

Note: : Equipment with a 'Fumigant' designation involves only fumigants.

6. Exposure: Characterization of how an individual came in contact with a pesticide

- | | | |
|---------|---|--|
| Drift | : | Spray, mist, fumes, or odor carried from the target site by air. Drift must be related to an application or mix/load activity. |
| Residue | : | The part of a pesticide that remains in the environment for a period of time following an application or drift. This includes odor after the completion of an application. |
| Other | : | Other route of exposure. |
| Unknown | : | Route of exposure is not known |

7. Hospitalization:

Number of : Number of people requiring hospitalization and those we are unsure of their hospitalization status following exposure to pesticides.

- | | | |
|---------------------|---|---|
| Cases Known | : | Number of people hospitalized where the number of days in spent the hospital are known. |
| Indefinite | : | Number of people hospitalized where the extent of hospitalization is not known. |
| Unknown | : | Number of people for whom we are unable to determine if hospitalization occurred. |
| Total Days Reported | : | Number of full days (24-hour periods) an individual was hospitalized. The length of stay in the hospital includes time spent in the emergency room prior to hospital admission. |

- 8. Disability:** Time an individual missed work (or normal activity such as school) due to pesticide-related illness or injury.
- Number of : Number of people incurring lost work time and those we are unsure of their disability status following exposure to pesticides.
- Cases
- Days : Number of people incurring lost work time where the number of days off work is known.
- Known
- Indefinite : Number of people with lost work time where the extent of the disability is not known.
- Unknown : Number of people for whom we are unable to determine if lost work time occurred.
- Total Days : Number of full days an individual missed work (or normal activity such as school).
- Reported

Whom to Contact:

California Department of Pesticide Regulation
Worker Health and Safety Branch
Phone: (916) 445-4222.
Physical address: 1001 I St., Sacramento CA 95814-2828.
Mailing address: P.O. Box 4015, Sacramento, CA 95812-4015
Fax: (916) 445-4280
www.cdpr.ca.gov

About the Pesticide Illness Surveillance Program Data

Pesticide-related illnesses have been tracked within the state of California for nearly 50 years. The California Environmental Protection Agency, Department of Pesticide Regulation (DPR) maintains a surveillance program which records human health effects of pesticide exposure. The Pesticide Illness Surveillance Program (PISP) documents information on adverse effects from pesticide products, whether elicited by the active ingredients, inert ingredients, impurities, or breakdown products. This database is utilized for evaluating the circumstances of pesticide exposures resulting in illness. This database is consulted regularly by staff who evaluate(s) the effectiveness of the DPR pesticide safety programs and recommend changes when appropriate.

**Hospitalization and Disability Associated with Illnesses/Injuries
Possibly Related to Pesticide Exposure in California^{1,2}
1999**

OCCUPATIONAL ILLNESS AND INJURY³

ACTIVITY ⁴	EQUIPMENT ⁵ / EXPOSURE MECHANISM ⁶	TOTAL CASES			HOSPITALIZATION ⁷			DISABILITY ⁸		
		Number of Cases			Total Days Reported	Days Known	Number of Cases	Total Days Reported	Days Known	Number of Cases
		Known	Indefinite	Unknown						
Mixer/Loader	Aerial	1	0	0	0	0	0	1	0	4
	Ground	1	0	0	0	0	0	0	0	0
	Other/Unknown	4	0	0	0	0	3	0	0	0
Applicator	Ground	19	0	0	0	0	1	0	4	16
	Ground (Fumigant)	1	0	0	0	0	0	0	0	0
	Hand	24	0	0	0	0	0	0	0	0
	Hand (Fumigant)	1	0	0	0	0	0	0	1	26
	Chamber (Fumigant)	1	0	0	0	0	0	0	0	0
	Tarp (Fumigant)	1	0	0	0	0	0	0	1	6
	Other/Unknown	14	0	0	0	0	1	2	0	0
Mechanical Work on Contaminated Equipment		2	0	0	0	0	0	0	0	0
Pack/Process (Commodity)	Exposed to Residue	6	0	0	0	0	0	0	0	5
	Other/Unknown Exposure	2	0	0	0	0	1	0	0	0
Field Worker	Exposed to Drift	32	0	0	0	0	3	1	2	3
	Exposed to Residue	59	2	0	0	0	5	0	12	69
	Other/Unknown Exposure	2	0	0	0	0	0	0	0	0
Routine Indoor Activity	Exposed to Drift	9	3	0	0	0	5	0	2	3
	Exposed to Residue	21	0	0	1	2	2	0	9	15
	Other/Unknown Exposure	12	0	0	0	0	3	0	1	2
Routine Outdoor Activity	Exposed to Drift	2	0	0	0	0	1	0	0	0
	Exposed to Residue	2	1	0	0	0	1	0	0	0
	Other/Unknown Exposure	2	0	0	0	0	0	0	0	0
Transport/Storage/Disposal		4	0	0	0	0	0	0	0	0

ACTIVITY ⁴	EQUIPMENT ⁵ /EXPOSURE MECHANISM ⁶	TOTAL CASES	HOSPITALIZATION ⁷			DISABILITY ⁸				
			Days Known	Indefinite	Unknown	Total Days Reported	Days Known	Indefinite	Unknown	Total Days Reported
Emergency Response		1	0	0	0	0	0	0	0	0
Other Occupational Activity		17	1	0	0	0	0	0	0	0
<i>Occupational Totals</i>		<i>240</i>	<i>7</i>	<i>0</i>	<i>1</i>	<i>2</i>	<i>28</i>	<i>4</i>	<i>45</i>	<i>188</i>

NON-OCCUPATIONAL ILLNESS AND INJURY³ (less fully reported than occupational cases)

Applicator	Hand	6	0	0	1	5	3	0	0	0
Mechanical Work on Contaminated Equipment		2	0	0	0	0	0	0	0	0
Routine Indoor Activity	Exposed to Drift	89	0	0	0	0	20	0	0	0
Routine Outdoor Activity	Exposed to Residue	14	0	0	0	0	5	0	0	0
	Exposed to Drift	9	0	0	0	0	0	0	0	0
	Exposed to Residue	3	0	0	0	0	5	0	0	0
	Other/Unknown Exposure	1	0	0	0	0	0	0	1	2
Other Non-Occupational Activity		5	0	0	0	0	1	0	0	0
Unknown Non-Occupational Activity		2	0	0	0	0	3	0	0	0
<i>Non-Occupational Totals</i>		<i>131</i>	<i>0</i>	<i>0</i>	<i>1</i>	<i>5</i>	<i>38</i>	<i>0</i>	<i>2</i>	<i>3</i>
Possible Case Totals		371	7	0	2	7	66	4	47	91

1. Source: California Department of Pesticide Regulation, Pesticide Illness Surveillance Program.
2. Relationship: Degree of correlation between pesticide exposure and resulting symptomatology.

Possible

: Some degree of correlation evident. Medical and physical evidence are inconclusive or unavailable.

3. Occupational/Non-occupational: The relationship between the illness/injury and the individual's work.

- Occupational** : Work related. The individual was on the job at the time of the incident. This includes both paid employees and volunteers working in similar capacity to paid employees.
- Non-occupational** : Not work related. The individual was not on the job at the time of the incident. This category includes individuals while on the way to or from work (before the start or after the end of their workday).

4. Activity: Activity of the exposed individual at the time of exposure

- Mixer/Loader** : Mixes and/or loads pesticides. This includes: (1) removing a pesticide from its original container, (2) transferring the pesticide to a mixing or holding tank, (3) mixing pesticides prior to application, (4) driving a nurse rig, or (5) transferring the pesticide from a mixing/holding tank or nurse rig to an application tank.
- Applicator** : Applies pesticides by any method or conducts activities considered ancillary to the application (e.g., cleans spray nozzles in the field).
- Mechanical Work on Contaminated Equipment** : Maintains (e.g., cleans, repairs or conducts maintenance) pesticide-contaminated equipment used to mix, load or apply pesticides as well as the protective equipment used by individuals involved in such activities. This excludes the following: 1) maintenance performed by applicators on their equipment incidental to the application (classified as 'Applicator'); 2) maintenance performed by mixer/loaders on their equipment incidental to mixing and loading (classified as 'Mixer/Loader'); and 3) decontamination by HAZMAT teams (classified as 'Emergency Response').
- Packer/Processor** : Handles (packs, processes or retails) agricultural commodities from the packing house to the final market place. Field packing of agricultural commodities is classified as 'Field Worker'.
- Field Worker** : Works in an agricultural field performing tasks such as advising, scouting, harvesting, thinning, irrigating, driving tractor (except as part of an application), field packing, conducting cultural work in a greenhouse, etc. Researchers performing similar tasks in an agricultural field are also included.
- Routine Indoor** : Conducts activities in an indoor environment with minimal expectation for exposure to pesticides. This includes people in offices and businesses, residential structures, etc. who are not handling pesticides.
- Routine Outdoor** : Conducts activities in an outdoor environment with minimal expectation for exposure to pesticides. This excludes field workers in agricultural fields. This includes gardeners who are not handling pesticides.
- Transport/Storage/Disposal** : Transports or stores pesticides between packaging and preparation for use. This includes shipping, warehousing and retailing as well as storage by the end-user prior to preparation for use. Disposal of unused pesticides is also included in this activity. This excludes driving a nurse rig to an application site.
- Emergency Response** : Emergency response personnel (Police, fire, ambulance and HAZMAT personnel) responding to a fire, spill, accident or any other pesticide incident in the line of duty.
- Other** : Activity is not adequately described by any other activity category. This includes: 1) being inside a vehicle; 2) dog groomers not handling pesticides; 3) individuals handling pesticide treated wood; 4) two or more activities with potential for pesticide exposure.
- Unknown** : Activity is not known.

4. Equipment: Type of equipment used for an application.

Aerial	: Aerial application equipment (fixed wing or helicopter).
Ground	: Ground application equipment.
Hand	: Hand-held application equipment.
Chamber	: An enclosed, sealed chamber designed specifically for fumigating or sterilizing the contents of the chamber.
Tarp	: Tarp placed over a commodity, structure, or field that is designed to restrict a fumigant to the application site.
Other	: Any application methodology not described above.
Unknown	: The type of application equipment is not known.

Note: : Equipment with a 'Fumigant' designation involves only fumigants.

5. Exposure: Characterization of how an individual came in contact with a pesticide

Drift	: Spray, mist, fumes, or odor carried from the target site by air. Drift must be related to an application or mix/load activity.
Residue	: The part of a pesticide that remains in the environment for a period of time following an application or drift. This includes odor after the completion of an application.
Other	: Other route of exposure.
Unknown	: Route of exposure is not known

6. Hospitalization:

Number of Cases	: Number of people requiring hospitalization and those we are unsure of their hospitalization status following exposure to pesticides.
Days Known	: Number of people hospitalized where the number of days in spent the hospital is known.
Indefinite	: Number of people hospitalized where the extent of hospitalization is not known.
Unknown	: Number of people for whom we are unable to determine if hospitalization occurred.
Total Days Reported	: Number of full days (24-hour periods) an individual was hospitalized. The length of stay in the hospital includes time spent in the emergency room prior to hospital admission.

7. Disability: Time an individual missed work (or normal activity such as school) due to pesticide-related illness or injury.

Number of : Number of people incurring lost work time and those we are unsure of their disability status following exposure to pesticides.

Cases : Number of people incurring lost work time where the number of days off work are known.

Days : Number of people incurring lost work time where the number of days off work are known.

Known : Number of people with lost work time where the extent of the disability is not known.

Indefinite : Number of people with lost work time where the extent of the disability is not known.

Unknown : Number of people for whom we are unable to determine if lost work time occurred.

Total Days : Number of full days an individual missed work (or normal activity such as school).

Reported : Number of full days an individual missed work (or normal activity such as school).

Whom to Contact:

California Department of Pesticide Regulation
Worker Health and Safety Branch

Phone: (916) 445-4222.

Physical address: 1001 I St., Sacramento CA 95814-2828.

Mailing address: P.O. Box 4015, Sacramento, CA 95812-4015

Fax: (916) 445-4280

www.cdpr.ca.gov

About the Pesticide Illness Surveillance Program Data

Pesticide-related illnesses have been tracked within the state of California for nearly 50 years. The California Environmental Protection Agency, Department of Pesticide Regulation (DPR) maintains a surveillance program which records human health effects of pesticide exposure. The Pesticide Illness Surveillance Program (PISP) documents information on adverse effects from pesticide products, whether elicited by the active ingredients, inert ingredients, impurities, or breakdown products. This program maintains a database, which is utilized for evaluating the circumstances of pesticide exposures resulting in illness. This database is consulted regularly by staff who evaluate(s) the effectiveness of the DPR pesticide safety programs and recommend changes when appropriate.

February 15, 2001

Pesticide-Related Illnesses/Injuries Reported by California Physicians
Summarized by Pesticide(s), Type of Illness and Degree of Relationship¹
1999

PESTICIDE ²	SYSTEMIC ³			EYE ³			SKIN ³			EYE & SKIN ³			TOTAL ³		
	Definite/ Probable ⁴	Possible ⁴	Definite/ Probable ⁴	Possible ⁴	Definite/ Probable ⁴	Possible ⁴	Definite/ Probable ⁴								
2,4-D	1	0	0	0	0	0	0	0	1	0	0	0	2	0	0
Abamectin	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0
Acephate	0	1	1	0	0	0	0	0	1	0	0	0	1	0	0
Acrolein	1	0	0	0	0	0	0	1	0	0	0	0	1	0	0
Adjuvant	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2
Agrobacterium Radiobacter	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0
Aldicarb	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0
Aluminum Phosphide	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0
Azoxystrobin	0	3	0	0	0	0	0	0	0	0	0	0	0	1	1
Beauveria Bassiana Strain Gha	0	0	0	0	0	0	0	1	0	0	0	0	0	0	3
Benomyl	0	0	0	0	0	0	0	1	0	0	0	0	0	0	1
Bifenthrin	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1
Boric Acid	1	0	0	0	0	0	0	0	1	0	0	0	1	0	0
Bromadiolone	2	0	0	0	0	0	0	0	0	0	-	0	0	1	1
Butylate	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0
Calcium Hypochlorite	4	0	2	0	0	0	0	0	0	0	0	0	0	2	2
CAMA	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Carbaryl	1	0	0	0	0	0	0	2	0	0	0	0	6	0	0
Carbofuran	1	0	0	0	0	0	0	0	0	0	0	0	0	2	2
Chlordane	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Chlorine	6	0	0	0	0	0	0	2	0	0	0	0	1	0	1
Chlorothalonil	3	0	0	0	1	1	0	0	0	0	0	0	3	2	2
Chloryrifos	10	13	1	0	0	0	1	0	0	0	0	0	7	1	1
Copper Ethanolamine Complex	1	0	0	0	0	0	0	0	0	0	0	0	3	1	1
Copper Naphthenate	7	0	1	1	0	0	0	0	0	0	0	0	11	13	13
													8	1	1

PISP: Summary of Pesticide(s), Type of Illness and Degree of Relationship

1	1
13	0
8	1
7	1
6	0
5	1
4	0
3	0
2	0
1	0

Illness and Degree of Relationship

PESTICIDE ²	SYSTEMIC ³			EYE ³			SKIN ³			EYE & SKIN ³			TOTAL ³		
	Definite/ Probable ⁴	Possible ⁴	Definite/ Probable ⁴	Definite/ Probable ⁴	Possible ⁴	Definite/ Probable ⁴	Definite/ Probable ⁴	Possible ⁴	Definite/ Probable ⁴	Definite/ Probable ⁴	Possible ⁴	Definite/ Probable ⁴	Possible ⁴	Definite/ Probable ⁴	Possible ⁴
Copper Sulfate	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Creosote	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Cyanuric Acid	7	0	3	0	1	0	0	0	0	0	0	11	0	0	0
Cyfluthrin	14	2	1	0	1	0	0	0	0	0	0	16	2	2	2
Cyhalothrin	1	1	0	0	0	0	0	0	0	0	1	1	1	2	2
Cypermethrin	7	0	0	0	0	0	0	0	1	0	0	8	0	0	0
Daminozide	0	0	0	0	0	0	1	0	0	0	0	0	1	1	1
Dazomet	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1
Demeton	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Diazinon	8	67	0	0	1	0	0	0	0	0	0	9	67	67	67
Dimethoate	3	0	0	0	0	0	0	0	0	0	0	3	0	0	0
Dinoseb	0	0	0	0	0	1	0	0	0	0	0	1	0	0	0
Endosulfan	0	1	0	0	0	0	0	0	0	0	0	0	9	67	67
EPTC	0	0	0	0	0	0	1	1	1	0	0	0	0	1	1
Etephenon	0	0	0	0	0	1	0	0	0	0	0	0	1	1	1
Ethion	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0
Ethyl Alcohol	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0
Ethylenene	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Ethylene Oxide	0	3	0	0	0	0	0	0	0	0	0	0	0	3	3
Fenamiphos	0	1	0	0	0	0	0	0	0	0	0	0	0	1	1
Fenarimol	0	1	0	0	0	0	0	0	0	0	0	0	0	1	1
Fipronil	0	0	1	0	0	0	1	0	0	0	0	0	1	0	0
Formaldehyde	1	0	0	0	0	0	0	0	0	0	0	2	0	0	0
Gibberellic Acid	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0
Gutaraldehyde	10	3	4	0	2	0	0	0	0	0	0	16	3	3	3
Glyphosate	6	3	4	3	4	1	0	0	0	0	0	14	7	7	7
Glyphosate-Trimesium	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0
Hydrogen Chloride	2	0	0	0	0	0	0	0	0	0	0	2	0	0	0
Hydrogen Cyanamide	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0

PESTICIDE ²	SYSTEMIC ³		EYE ³		SKIN ³		EYE & SKIN ³		TOTAL ³	
	Definite/ Probable ⁴	Possible ⁴								
Imidacloprid	1	0	0	0	0	0	0	0	0	1
Iprodione	0	1	0	0	0	0	0	0	0	0
Lime	0	0	1	0	0	0	0	0	0	1
Lime-Sulfur	0	0	0	1	0	0	0	0	0	1
Malathion	2	3	1	0	1	0	0	0	0	1
Mancozeb	0	0	0	0	0	0	0	0	0	1
Mefluidide	0	1	0	0	0	1	0	0	0	1
Metalaxyll	0	2	0	0	0	0	0	0	0	1
Metam-Sodium	131	29	17	1	2	2	0	0	0	2
Methyl Bromide	2	5	1	0	0	0	0	0	150	32
Methyl Isothiocyanate	0	1	0	0	0	0	0	0	0	5
Metolachlor	0	0	1	0	0	0	0	0	0	1
MSMA	2	0	0	1	0	1	0	0	0	2
Naled	2	1	0	0	0	0	0	0	0	0
Nonanoic Acid	1	0	0	0	0	0	0	0	0	1
Oxadiazon	0	0	1	0	0	0	0	0	0	1
Oxyfluorfen	0	2	0	0	0	0	0	0	0	0
Ozone	1	0	0	0	0	0	0	0	0	1
Para-Dichlorobenzene	0	8	0	0	0	0	0	0	0	0
Parafomaldehyde	1	0	0	0	0	0	0	0	0	0
Paraquat	1	1	2	1	4	1	0	0	1	0
Pentachlorophenol	0	1	0	0	0	0	0	0	7	3
Permethrin	6	1	1	0	0	0	0	0	0	1
Peroxyacetic Acid	1	0	1	0	0	0	0	0	7	1
Petroleum Hydrocarbons	0	0	0	1	0	0	0	0	2	0
Phenolic Disinfectants	2	0	3	0	1	0	0	0	0	1
Phorate	2	0	0	0	1	2	0	0	6	2
Phosmet	1	0	0	0	0	0	0	0	2	0
Pine Oil	2	0	5	0	0	0	0	0	1	0

PESTICIDE ²	SYSTEMIC ³		EYE ³		SKIN ³		EYE & SKIN ³		TOTAL ³	
	Definite/ Probable ⁴	Possible ⁴								
Propargite	0	4	0	0	2	1	0	0	0	2
Propetamphos	20	0	0	0	0	0	0	0	0	20
Propiconazole	0	1	0	0	0	0	0	0	0	1
Propoxur	2	0	0	0	0	0	0	0	0	2
Pyridaben	0	0	0	0	0	1	0	0	0	1
Quaternary Ammonia	7	1	26	1	10	0	2	0	0	45
Resmethrin	1	0	0	0	0	0	0	0	1	0
Sabadilla	0	1	0	0	0	0	0	0	0	1
Sodium Bisulfite	0	0	0	0	0	0	1	0	1	0
Sodium Hypochlorite	120	11	61	4	5	9	2	2	188	26
Sodium Tetra thiocarbonate	1	0	0	0	0	0	0	0	1	0
Strychnine	1	0	0	0	0	0	0	0	1	0
Sulfur	10	3	1	3	1	5	0	1	12	12
Sulfur Dioxide	0	0	1	0	0	1	0	0	1	1
Sulfuryl Fluoride	2	3	0	0	0	0	0	0	2	3
Tebuconazole	1	0	0	0	0	0	0	0	1	0
Tralomethrin	1	0	0	0	0	1	0	0	1	0
Trichopyr	0	0	0	0	0	1	0	0	1	0
Trifluralin	0	0	0	0	2	0	0	0	2	0
Warfarin	0	0	0	0	0	1	0	0	0	1
Combinations Of Antimicrobials	29	1	7	0	4	3	0	0	40	4
Combinations Of Fumigants	7	6	0	0	2	0	0	0	9	6
Combinations Of Fungicides	2	6	1	0	0	5	0	0	3	11
Combinations Of Herbicides	7	7	3	1	4	2	0	0	14	10
Combinations Of Insecticides Including Cholinesterase Inhibitor(s)	28	27	2	1	2	7	0	0	32	35
Cholinesterase Inhibitor(s)	28	3	2	0	0	1	0	0	30	4
Miscellaneous Combinations	45	27	4	5	4	22	4	2	57	56

PESTICIDE ²	SYSTEMIC ³			EYE ³			SKIN ³			EYE & SKIN ³			TOTAL ³			
	Definite/ Probable ⁴	Possible ⁴	Definite/ Probable ⁴	Possible ⁴	Definite/ Probable ⁴	Possible ⁴	Definite/ Probable ⁴									
Unknown	4	2	2	0	0	1	1	2	0	0	0	0	0	0	0	
Unknown Antimicrobial	7	0	1	0	0	0	0	1	0	0	0	0	0	0	0	
Unknown Insecticide	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
TOTAL	591	260	167	24	60	81	12	6	830	371	830	371	830	371	830	371

1. Source: California Department of Pesticide Regulation, Pesticide Illness Surveillance Program.
2. Pesticide: Name of pesticide active ingredient.

3. Type of Illness: Categorization of the type of symptoms experienced.

- | | |
|----------|--|
| Systemic | : Any health effects not limited to the skin and/or eye. Cases involving multiple illness symptom types including systemic symptoms are included in the systemic category. |
| Eye | : Health effects involving only the eyes. This excludes outward physical signs (miosis and lacrimation) related to effects on internal bodily systems. |
| Skin | : Health signs are classified under 'Systemic'. |
| Eye/Skin | : Health effects involving only the skin. |

4. Relationship: Degree of correlation between pesticide exposure and resulting symptomatology. The term "pesticide-related" refers to cases that fall into one of the three following relationships.

- | | |
|----------|--|
| Definite | : High degree of correlation between pattern of exposure and measured cholinesterase inhibition, positive allergy tests, characteristic signs observed by medical professional and physical evidence of exposure (environmental and/or biological samples, exposure history) to support the conclusions. |
| Probable | : Relatively high degree of correlation exists between the pattern of exposure and the resulting symptomatology. Either medical or physical evidence is inconclusive or unavailable. |
| Possible | : Some degree of correlation evident. Medical and physical evidence are inconclusive or unavailable. |

**Summary of Illness/Injury Incidents
Reported by Physicians as Potentially Related to Pesticide Exposure
Summarized by County of Occurrence¹
1999**

COUNTY ² / Relationship ³	TOTAL CASES	Type Of Exposure ⁴				Intended Use ⁵	
		Direct Contact	Drift	Residue	Other/ Unknown	Agricultural	Non- Agricultural
ALAMEDA							
Definite	3	2	0	0	1	0	3
Probable	9	3	5	0	1	0	9
Possible	6	1	1	2	2	0	6
Unlikely	1	0	1	0	0	0	1
Asymptomatic	4	1	1	0	2	0	4
Unrelated	8						
Unavailable	1						
AMADOR							
Probable	1	0	0	1	0	1	0
Unrelated	1						
BUTTE							
Definite	3	2	0	0	1	0	3
Probable	5	0	3	2	0	0	5
Possible	9	0	1	8	0	0	9
Unrelated	2						
Unavailable	3						
CALAVERAS							
Definite	1	1	0	0	0	0	1
Probable	2	0	1	1	0	0	2
Possible	1	0	0	0	1	0	1
COLUSA							
Definite	1	1	0	0	0	1	0
Probable	1	0	1	0	0	0	1
Possible	2	0	0	1	1	2	0
Unavailable	1						
CONTRA COSTA							
Definite	2	2	0	0	0	0	2
Probable	4	3	0	0	1	0	4
Possible	4	1	1	1	1	0	4
Unlikely	1	0	1	0	0	0	1
Unrelated	4						
Unavailable	2						
DEL NORTE							
Probable	1	1	0	0	0	0	1
Unrelated	1						
EL DORADO							
Probable	1	1	0	0	0	0	1

COUNTY/ Relationship	TOTAL CASES	Type Of Exposure				Intended Use	
		Direct Contact	Drift	Residue	Other/ Unknown	Agricultural	Non- Agricultural
FRESNO							
Definite	24	8	15	0	1	14	10
Probable	54	8	32	9	5	33	21
Possible	28	2	3	9	14	22	6
Unlikely	7	0	1	3	3	5	2
Asymptomatic	10	1	5	3	1	7	3
Unrelated	13						
Insufficient	7						
Unavailable	5						
GLENN							
Probable	3	0	3	0	0	2	1
Possible	3	0	1	1	1	3	0
Unlikely	1	0	0	1	0	1	0
Unrelated	1						
HUMBOLDT							
Definite	1	1	0	0	0	0	1
Probable	1	0	0	1	0	0	1
Possible	3	0	1	1	1	1	2
Unrelated	3						
Unavailable	2						
IMPERIAL							
Probable	4	1	3	0	0	4	0
Asymptomatic	1	0	1	0	0	1	0
Unrelated	2						
KERN							
Definite	4	2	1	0	1	1	3
Probable	36	11	19	5	1	31	5
Possible	14	2	6	6	0	12	2
Unlikely	1	0	0	0	1	1	0
Asymptomatic	3	2	0	1	0	2	1
Indirect	1						
Unrelated	7						
Unavailable	1						
KINGS							
Probable	11	1	0	8	2	10	1
Possible	4	0	1	1	2	4	0
Asymptomatic	2	1	1	0	0	2	0
Unrelated	1						
LAKE							
Definite	1	1	0	0	0	0	1
Probable	1	0	1	0	0	1	0
Unavailable	1						

COUNTY/ Relationship	TOTAL CASES	Type Of Exposure				Intended Use	
		Direct Contact	Drift	Residue	Other/ Unknown	Agricultural	Non- Agricultural
LASSEN							
Definite	1	1	0	0	0	0	1
Probable	1	0	0	0	1	0	1
Unrelated	2						
LOS ANGELES							
Definite	29	20	2	1	6	1	28
Probable	40	6	13	11	10	0	40
Possible	10	1	3	4	2	1	9
Unlikely	3	0	1	2	0	0	3
Asymptomatic	1	1	0	0	0	0	1
Unrelated	19						
Insufficient	1						
Unavailable	9						
MADERA							
Probable	17	2	14	0	1	14	3
Possible	7	0	0	4	3	6	1
Unlikely	2	0	0	0	2	2	0
Asymptomatic	18	1	17	0	0	17	1
Unrelated	2						
Insufficient	1						
Unavailable	15						
MARIN							
Definite	5	3	1	1	0	0	5
Probable	13	1	4	8	0	0	13
Unlikely	1	0	0	1	0	0	1
Unrelated	4						
MARIPOSA							
Probable	1	0	1	0	0	0	1
Unavailable	1						
MENDOCINO							
Probable	1	1	0	0	0	0	1
Possible	2	0	0	1	1	2	0
Unlikely	1	0	0	1	0	1	0
Unrelated	1						
MERCED							
Definite	5	3	1	0	1	3	2
Probable	5	1	4	0	0	0	5
Possible	11	0	4	6	1	11	0
Unlikely	3	0	0	3	0	2	1
Indirect	1						
Unrelated	7						

COUNTY/ Relationship	TOTAL CASES	Type Of Exposure				Intended Use	
		Direct Contact	Drift	Residue	Other/ Unknown	Agricultural	Non- Agricultural
MODOC							
Unlikely	1	0	1	0	0	1	0
MONTEREY							
Definite	5	3	2	0	0	3	2
Probable	18	1	10	7	0	9	9
Possible	11	0	5	2	4	9	2
Asymptomatic	1	1	0	0	0	0	1
Unrelated	3						
Unavailable	3						
NAPA							
Definite	2	1	0	1	0	0	2
Probable	2	2	0	0	0	1	1
Possible	4	0	0	3	1	3	1
Unlikely	1	0	0	0	1	1	0
Unrelated	2						
Unavailable	2						
NEVADA							
Definite	1	1	0	0	0	0	1
Unlikely	1	0	1	0	0	1	0
Unrelated	2						
ORANGE							
Definite	12	7	1	0	4	0	12
Probable	26	7	9	6	4	1	25
Possible	11	0	3	7	1	1	10
Unlikely	1	0	0	1	0	1	0
Indirect	1						
Unrelated	5						
Unavailable	9						
PLACER							
Probable	1	0	0	1	0	0	1
Possible	4	1	0	1	2	0	4
Unrelated	2						
PLUMAS							
Definite	1	1	0	0	0	0	1

COUNTY/ Relationship	TOTAL CASES	Type Of Exposure				Intended Use	
		Direct Contact	Drift	Residue	Other/ Unknown	Agricultural	Non- Agricultural
RIVERSIDE							
Definite	8	8	0	0	0	2	6
Probable	12	3	5	1	3	3	9
Possible	8	1	0	1	6	6	2
Unlikely	1	0	0	1	0	0	1
Asymptomatic	13	1	0	0	12	12	1
Unrelated	6						
Unavailable	1						
SACRAMENTO							
Definite	8	5	3	0	0	0	8
Probable	17	3	10	2	2	0	17
Possible	7	1	1	5	0	3	4
Unlikely	2	0	1	1	0	0	2
Asymptomatic	1	0	0	1	0	0	1
Indirect	1						
Unrelated	6						
Insufficient	2						
Unavailable	1						
SAN BENITO							
Possible	20	0	20	0	0	20	0
SAN BERNARDINO							
Definite	5	4	1	0	0	0	5
Probable	28	4	4	15	5	0	28
Possible	5	1	1	2	1	0	5
Unlikely	1	0	0	0	1	0	1
Asymptomatic	1	1	0	0	0	0	1
Unrelated	14						
Unavailable	4						
SAN DIEGO							
Definite	13	10	2	0	1	0	13
Probable	79	4	58	6	11	53	26
Possible	74	1	66	5	2	3	71
Unlikely	2	0	0	2	0	0	2
Asymptomatic	2	0	2	0	0	2	0
Unrelated	5						
Insufficient	17						
Unavailable	3						
SAN FRANCISCO							
Definite	1	1	0	0	0	0	1
Probable	5	1	0	1	3	0	5
Possible	1	0	0	1	0	0	1
Unrelated	1						
Unavailable	2						

COUNTY/ Relationship	TOTAL CASES	Type Of Exposure				Intended Use	
		Direct Contact	Drift	Residue	Other/ Unknown	Agricultural	Non- Agricultural
SAN JOAQUIN							
Definite	8	6	0	0	2	1	7
Probable	13	4	5	0	4	2	11
Possible	11	1	1	3	6	6	5
Asymptomatic	11	1	0	0	10	1	10
Unrelated	11						
Insufficient	1				1		
Unavailable	2						
SAN LUIS OBISPO							
Definite	1	1	0	0	0	0	1
Probable	2	0	1	0	1	0	2
Possible	2	1	0	1	0	0	2
Unrelated	1						
SAN MATEO							
Definite	3	2	0	0	1	0	3
Probable	7	3	3	1	0	2	5
Possible	5	0	0	5	0	3	2
Asymptomatic	1	0	1	0	0	0	1
Unrelated	7						
Unavailable	2						
SANTA BARBARA							
Definite	3	3	0	0	0	2	1
Probable	8	1	7	0	0	7	1
Possible	6	1	3	2	0	4	2
Unrelated	4						
SANTA CLARA							
Definite	7	6	1	0	0	0	7
Probable	32	5	5	18	4	0	32
Possible	8	0	3	3	2	1	7
Asymptomatic	2	1	0	0	1	0	2
Unrelated	11						
Unavailable	1						
SANTA CRUZ							
Definite	2	1	0	0	1	0	2
Probable	2	1	1	0	0	2	0
Possible	7	0	1	5	1	5	2
Asymptomatic	1	1	0	0	0	1	0
Unavailable	1						
SHASTA							
Probable	2	1	0	1	0	0	2
Possible	4	0	3	0	1	0	4
Unlikely	1	0	0	0	1	0	1

COUNTY/ Relationship	TOTAL CASES	Type Of Exposure				Intended Use	
		Direct Contact	Drift	Residue	Other/ Unknown	Agricultural	Non- Agricultural
SISKIYOU							
Definite	2	2	0	0	0	0	2
Probable	1	0	0	1	0	0	1
Possible	1	0	1	0	0	0	1
SOLANO							
Definite	3	2	0	0	1	1	2
Probable	8	1	5	1	1	1	7
Possible	2	0	0	1	1	0	2
Unlikely	2	0	0	1	1	1	1
Unrelated	1						
Unavailable	3						
SONOMA							
Definite	6	5	0	0	1	2	4
Probable	2	0	1	0	1	0	2
Possible	11	1	0	6	4	8	3
Unrelated	4						
Insufficient	1						
STANISLAUS							
Definite	4	2	1	0	1	1	3
Probable	5	4	1	0	0	2	3
Possible	8	1	0	6	1	7	1
Unlikely	2	1	0	0	1	1	1
Asymptomatic	3	2	0	0	1	1	2
Unrelated	9						
Insufficient	1						
SUTTER							
Definite	1	1	0	0	0	0	1
Possible	1	0	0	0	1	1	0
Unrelated	1						
TEHAMA							
Unlikely	1	0	1	0	0	1	0
Insufficient	1						
TULARE							
Definite	11	11	0	0	0	5	6
Probable	149	4	141	3	1	144	5
Possible	44	0	34	7	3	42	2
Unlikely	1	0	0	1	0	1	0
Asymptomatic	2	1	1	0	0	2	0
Unrelated	10						
Insufficient	1						
Unavailable	7						

COUNTY/ Relationship	TOTAL CASES	Type Of Exposure				Intended Use	
		Direct Contact	Drift	Residue	Other/ Unknown	Agricultural	Non- Agricultural
TUOLUMNE							
Definite	1	0	1	0	0	0	1
Probable	1	0	1	0	0	0	1
Unlikely	1	0	1	0	0	0	1
VENTURA							
Definite	5	3	0	0	2	0	5
Probable	1	1	0	0	0	0	1
Possible	5	1	2	0	2	3	2
Unlikely	1	0	0	1	0	0	1
Unrelated	1						
Unavailable	2						
YOLO							
Definite	2	2	0	0	0	0	2
Probable	2	1	1	0	0	1	1
Possible	7	2	0	1	4	5	2
Unlikely	3	0	0	1	2	2	1
Unrelated	3						
TOTALS							
Definite	195	135	32	3	25	37	158
Probable	635	91	372	110	62	324	311
Possible	371	20	166	112	73	194	177
Unlikely	43	1	9	20	13	22	21
Asymptomatic	77	16	29	5	27	48	29
Indirect	4						
Unrelated	187						
Insufficient	33						
Unavailable	84						
OVERALL	1629	263	608	251	203	628	697

1. Source: California Department of Pesticide Regulation, Pesticide Illness Surveillance Program.
The term "potentially related to pesticide exposure" refers to all cases reported to the program, some of which were later determined to be unrelated to pesticide exposure.

2. County: Individual counties in California.

3. Relationship: Degree of correlation between pesticide exposure and resulting symptomatology.

Definite	: High degree of correlation between pattern of exposure and resulting symptomatology. Requires both medical evidence (such as measured cholinesterase inhibition, positive allergy tests, characteristic signs observed by medical professional) and physical evidence of exposure (environmental and/or biological samples, exposure history) to support the conclusions.
Probable	: Relatively high degree of correlation exists between the pattern of exposure and the resulting symptomatology. Either medical or physical evidence is inconclusive or unavailable.
Possible	: Some degree of correlation evident. Medical and physical evidence are inconclusive or unavailable.
Unlikely	: A correlation cannot be ruled out absolutely. Medical and/or physical evidence suggest a cause other than pesticide exposure.
Indirect	: Pesticide exposure is not responsible, but pesticide regulations or product label requirements contributed in some way, (e.g. heat stress while wearing chemical resistant clothing).
Asymptomatic	: Exposure occurred, but did not result in illness/injury. Cholinesterase depression without symptoms falls in this category.
Unrelated	: Definite evidence of cause other than pesticide exposure including exposures to chemicals other than pesticides. Since there is no exposure to pesticides, there are no entries under "Type of Exposure" or "Intended Use."
Insufficient	: The available information is inadequate to make an informed judgment on the relationship between pesticide exposure and the reported symptomatology. For submitted investigations, the investigator failed to make an adequate attempt to obtain the necessary information. Since a relationship to pesticide exposure cannot be determined, there are no entries under "Type of Exposure" or "Intended Use."
Unavailable	: The available information is inadequate to make an informed judgement on the relationship between pesticide exposure and the reported symptomatology. For submitted investigations, the investigator made an adequate attempt to collect the necessary information, but was not able to do so (e.g., none of the parties concerned could be contacted). There usually needs to be more effort than to say the employee is not available for interview; other parties can often supply useful information. Since a relationship to pesticide exposure cannot be determined, there are no entries under "Type of Exposure" or "Intended Use."

4. Type of Exposure: Characterization of how an individual came in contact with a pesticide.

Direct Contact	: An appreciable amount of pesticide contacted the individual's body surface. This includes: 1) sprays or squirts from application equipment; 2) leaks or spills whether or not related to the application; and 3) deliberate immersion (as when cleaning implements in a basin with antimicrobials). This excludes drift exposures.
Drift	: Spray, mist, fumes, or odor carried from the target site by air. Drift must be related to an application or mix/load activity.
Residue	: The part of a pesticide that remains in the environment for a period of time following an application or drift. This includes odor after the completion of an application.
Other/Unknown	: Any of the following: 1) ingestion; 2) multiple routes of exposure; 3) residue from a spill; 4) exposure to smoke or pyrolytic products from a fire where pesticides are burning; 5) route of exposure is not known.

5. Intended Use: Agricultural/Non-Agricultural - Indicates whether the suspected pesticide(s) is intended to contribute to the production of agricultural commodities.

- Agricultural : The suspected pesticide(s) is intended to contribute to the production of agricultural commodities, including livestock. This includes the following:
1) handling of raw agricultural commodities in the packing house,
2) agriculture/urban interfaces including agricultural pesticides drifting into non-agricultural areas such as residences, and 3) transportation and storage of pesticides on farm lands. This excludes the following situations that are classified as agricultural for regulatory purposes: 1) forestry operations,
2) rights-of-way and 3) landscaped parks.
- Non-Agricultural : The suspected pesticide(s) is not intended to contribute to the production of agricultural commodities. This includes, but is not limited to the following:
1) residential pesticide uses, 2) structural pest control, 3) rights-of-way,
4) parks, 5) landscaped urban areas, and 6) transportation and storage of pesticides except on farm lands. This excludes agriculture/urban interfaces.
- Not Applicable : No pesticide involved.

Whom to Contact:

California Department of Pesticide Regulation
Worker Health and Safety Branch

Phone: (916) 445-4222.

Physical address: 1001 I St., Sacramento CA 95814-2828.

Mailing address: P.O. Box 4015, Sacramento, CA 95812-4015

Fax: (916) 445-4280

www.cdpr.ca.gov

About the Pesticide Illness Surveillance Program Data

Pesticide-related illnesses have been tracked within the state of California for nearly 50 years. The California Environmental Protection Agency, Department of Pesticide Regulation (DPR) maintains a surveillance program which records human health effects of pesticide exposure. The Pesticide Illness Surveillance Program (PISP) documents information on adverse effects from pesticide products, whether elicited by the active ingredients, inert ingredients, impurities, or breakdown products. This program maintains a database, which is utilized for evaluating the circumstances of pesticide exposures resulting in illness. This database is consulted regularly by staff who evaluate(s) the effectiveness of the DPR pesticide safety programs and recommend changes when appropriate.

**Pesticide-Related Systemic Illnesses
Summarized By Types of Symptoms and Relationship¹
1999**

Type of Illness²	Relationship³			Total
	Definite	Probable	Possible	
Systemic with Respiratory Effects				
Including Topical (eye and skin)	8	114	19	141
Without Topical	20	123	39	182
Systemic without Respiratory Effects				
Including Topical	8	61	26	95
Without Topical	15	84	141	240
Respiratory Effects without Other Systemic				
Respiratory and Topical	3	73	13	89
Respiratory Only	8	74	22	104

1. Source: California Department of Pesticide Regulation, Pesticide Illness Surveillance Program.

2. Type of Illness: Categorization of the type of symptoms experienced.

Systemic : Any health effects not limited to the skin and/or eye. Cases involving multiple illness symptom types, including systemic symptoms, are included in the systemic category.

Respiratory : Health effects involving any part of the respiratory tree.

Topical : Health effects involving only the eyes and/or skin. This excludes outward physical signs (miosis and lacrimation) related to effects on internal bodily systems. These signs are classified under 'Systemic'.

3. Relationship: Degree of correlation between pesticide exposure and resulting symptomatology.

Definite : High degree of correlation between pattern of exposure and resulting symptomatology. Requires both medical evidence (such as measured cholinesterase inhibition, positive allergy tests, characteristic signs observed by medical professional) and physical evidence of exposure (environmental and/or biological samples, exposure history) to support the conclusions.

Probable : Relatively high degree of correlation exists between the pattern of exposure and the resulting symptomatology. Either medical or physical evidence is inconclusive or unavailable.

Possible : Some degree of correlation evident. Medical and physical evidence are inconclusive or unavailable.

**Pesticide-Related Skin Disease
Among Field Workers¹ Reported by California Physicians
1982 – 1999**

Year	Definite or Probable ²	Possible ²
1982	32	105
1983	28	77
1984	45	99
1985	154	146
1986	149	56
1987 ³	51	139
1988	62	186
1989	7	77
1990	8	98
1991	2	64
1992	16	94
1993	1	51
1994	5	37
1995	74	74
1996	12	55
1997	8	45
1998 ⁴	3	40
1999	0	32

1. Source: California Department of Pesticide Regulation, Pesticide Illness Surveillance Program.

2. Relationship: Degree of correlation between pesticide exposure and resulting symptomatology. The term "pesticide-related" refers to one of the following relationships.

- Definite : High degree of correlation between pattern of exposure and resulting symptomatology. Requires both medical evidence (such as measured cholinesterase inhibition, positive allergy tests, characteristic signs observed by medical professional) and physical evidence of exposure (environmental and/or biological samples, exposure history) to support the conclusions.
- Probable : Relatively high degree of correlation exists between the pattern of exposure and the resulting symptomatology. Either medical or physical evidence is inconclusive or unavailable.
- Possible : Some degree of correlation evident. Medical and physical evidence are inconclusive or unavailable.

3. Evaluation of field worker dermatitis became more conservative in 1987, following a 1986 study that demonstrated the difficulty of collecting reliable information.
4. Starting in 1998, the values represent the number of field workers who developed skin conditions following exposure to pesticide residue. The values for previous years counted anyone who developed a skin condition following exposure to pesticide residue from an agricultural field.

Whom to Contact:

California Department of Pesticide Regulation
Worker Health and Safety Branch
Phone: (916) 445-4222.
Physical address: 1001 I St., Sacramento CA 95814-2828.
Mailing address: P.O. Box 4015, Sacramento, CA 95812-4015
Fax: (916) 445-4280
www.cdpr.ca.gov

About the Pesticide Illness Surveillance Program Data

Pesticide-related illnesses have been tracked within the state of California for nearly 50 years. The California Environmental Protection Agency, Department of Pesticide Regulation (DPR) maintains a surveillance program which records human health effects of pesticide exposure. The Pesticide Illness Surveillance Program (PISP) documents information on adverse effects from pesticide products, whether elicited by the active ingredients, inert ingredients, impurities, or breakdown products. This program maintains a database, which is utilized for evaluating the circumstances of pesticide exposures resulting in illness. This database is consulted regularly by staff who evaluate(s) the effectiveness of the DPR pesticide safety programs and recommend changes when appropriate.

**Age Distribution of Pesticide-Related Cases
Reported by California Physicians^{1,2}
1999**

Exposure to Pesticides Other Than Antimicrobial³ Pesticides

Age Group	Agricultural ⁴			Non-Agricultural ⁴		
	Male	Female	Unknown	Male	Female	Unknown
< 10 years	11	10	2	16	11	0
10 - 14	12	10	1	0	1	0
15 - 19	14	5	0	1	0	0
20 - 29	47	19	0	31	16	0
30 - 39	74	25	0	36	28	0
40 - 49	40	21	0	24	31	0
50 - 59	19	7	0	17	13	0
60 - 69	12	3	0	10	10	0
Unknown	73	65	1	38	54	7

Exposure to Antimicrobial³ Pesticides

Age Group	Agricultural ⁴			Non-Agricultural ⁴		
	Male	Female	Unknown	Male	Female	Unknown
< 10 years	0	0	0	4	3	0
10 - 14	0	0	0	0	1	0
15 - 19	4	3	0	9	8	0
20 - 29	5	19	0	43	36	0
30 - 39	3	16	0	35	50	0
40 - 49	2	10	0	27	37	0
50 - 59	1	7	0	11	18	0
60 - 69	0	3	0	3	4	0
Unknown	0	11	0	7	6	0

1. Source: California Department of Pesticide Regulation, Pesticide Illness Surveillance Program.

The term "pesticide-related" means a determination was made that the illness/injury was definitely, probably or possibly related to pesticide exposure (see definitions below)

**Relationship of Cases Reported by California Physicians
as Potentially Related to Pesticides
Summarized By Symptom Type and Pesticide Type¹
1999**

Data Available to Determine a Relationship² of Exposure to Symptoms

Pesticide Type ³	Relationship ²				
	Definite	Probable	Possible	Unlikely	Indirect
Eye Symptoms⁴ Only					
Antimicrobials	90	25	6	0	0
Cholinesterase Inhibitors	4	3	1	0	0
Other Pesticides	16	29	17	3	0
Skin Symptoms⁴, With Or Without Eye Involvement					
Antimicrobials	9	20	19	0	0
Cholinesterase Inhibitors	1	5	18	0	1
Other Pesticides	13	24	50	7	2
Systemic Or Respiratory Symptoms⁴ With or Without Eye or Skin Involvement					
Antimicrobials	18	182	17	2	0
Cholinesterase Inhibitors	29	95	129	6	0
Other Pesticides	15	252	114	25	1

Data Not Available to Determine a Relationship²

Pesticide Type ³	Relationship ²	
	Insufficient	Unavailable
Antimicrobials	11	26
Cholinesterase Inhibitors	8	11
Other Pesticides	14	47

Asymptomatic Cases²

Pesticide Type ³	Asymptomatic ²
Antimicrobials	8
Cholinesterase Inhibitors	36
Other Pesticides	30

1. Source: California Department of Pesticide Regulation, Pesticide Illness Surveillance Program.

2. Relationship: Degree of correlation between pesticide exposure and resulting symptomatology.

- Definite : High degree of correlation between pattern of exposure and resulting symptomatology.
 Requires both medical evidence (such as measured cholinesterase inhibition, positive allergy tests, characteristic signs observed by medical professional) and physical evidence of exposure (environmental and/or biological samples, exposure history) to support the conclusions.

Relationship (continued)

- Probable : Relatively high degree of correlation exists between the pattern of exposure and the resulting symptomatology. Either medical or physical evidence is inconclusive or unavailable.
- Possible : Some degree of correlation evident. Medical and physical evidence are inconclusive or unavailable.
- Unlikely : A correlation cannot be ruled out absolutely. Medical and/or physical evidence suggests a cause other than pesticide exposure.
- Indirect : Pesticide exposure is not responsible, but pesticide regulations or product label contributed in some way, (e.g. heat stress while wearing chemical resistant clothing).
- Insufficient : The available information is inadequate to make an informed judgement on the relationship between pesticide exposure and the reported symptomatology. For submitted investigations, the investigator failed to make an adequate attempt to obtain the necessary information.
- Unavailable : The available information is inadequate to make an informed judgement on the relationship between pesticide exposure and the reported symptomatology. For submitted investigations, the investigator made an adequate attempt to collect the necessary information, but was not able to do so (e.g., none of the parties concerned could be contacted). There usually needs to be more effort than to say the employee is not available for interview; other parties can often supply useful information.
- Asymptomatic : Exposure occurred, but did not result in illness/injury. Cholinesterase depression without symptoms falls in this category.

3. Pesticide Type: Type of pesticide based on functional class.

- Antimicrobials : Pesticides used to kill or inactivate disease-producing microorganisms (bacteria, viruses, etc.).
- Cholinesterase : Pesticides known to inhibit the function of the cholinesterase enzyme.
- Inhibitors
- Other Pesticides : Any pesticide that is not an antimicrobial or cholinesterase-inhibiting pesticide.

4. Type of Illness: Categorization of the type of symptoms experienced.

- Eye : Health effects involving only the eyes. This excludes outward physical signs (miosis and lacrimation) related to effects on internal bodily systems. These signs are classified under 'Systemic'.
- Skin : Health effects involving only the skin.
- Systemic : Any health effects not limited to the skin and/or eye. Cases involving multiple illness symptom types including systemic symptoms are included in the systemic category.
- Respiratory : Health effects involving any part of the respiratory tree.

Whom to Contact:

California Department of Pesticide Regulation
Worker Health and Safety Branch
Phone: (916) 445-4222.
Physical address: 1001 I St., Sacramento CA 95814-2828.
Mailing address: P.O. Box 4015, Sacramento, CA 95812-4015
Fax: (916) 445-4280
www.cdpr.ca.gov

About the Pesticide Illness Surveillance Program Data

Pesticide-related illnesses have been tracked within the state of California for nearly 50 years. The California Environmental Protection Agency, Department of Pesticide Regulation (DPR) maintains a surveillance program which records human health effects of pesticide exposure. The Pesticide Illness Surveillance Program (PISP) documents information on adverse effects from pesticide products, whether elicited by the active ingredients, inert ingredients, impurities, or breakdown products. This program maintains a database, which is utilized for evaluating the circumstances of pesticide exposures resulting in illness. This database is consulted regularly by staff who evaluate(s) the effectiveness of the DPR pesticide safety programs and recommend changes when appropriate.

**Pesticide-Related Illnesses and Injuries Reported by California Physicians
Summarized by Activity and Type of Exposure^{1,2}
1999**

February 15, 2000

Activity ³	Exposure						Not Known ⁴
	Drift ⁴	Residue ⁴	Spray/ Squirt ⁴	Other Direct ⁴	Ingestion ⁴	Multiple ⁴	
Occupational⁵							
Mixer/Loader	11	0	7	39	1	0	4
Applicator	51	1	32	72	0	2	0
Mechanical Work on Contaminated Equipment	5	0	8	7	0	0	1
Packer/Processor (Commodity)	81	7	0	2	0	0	0
Field Worker	42	82	6	1	0	1	1
Routine Indoor Activity	40	76	1	1	0	0	16
Routine Outdoor Activity	26	2	1	0	0	0	1
Manufacture/Formulation	0	0	0	1	0	0	0
Transport/Storage/Disposal	0	0	5	28	0	0	7
Emergency Response	2	1	0	0	0	0	10
Other	29	10	2	7	2	3	6
Unknown	1	0	0	1	0	0	0
<i>Occupational Totals</i>	288	179	62	159	3	6	46
Non-Occupational⁵, less fully reported than occupational cases							
Mixer/loader	4	0	0	0	0	0	0
Applicator	13	0	4	10	1	0	1
Mechanical Work on Contaminated Equipment	0	1	0	0	0	0	1
Routine Indoor Activity	199	38	2	1	8	1	1
Routine Outdoor Activity	48	5	1	0	2	0	1
Transport/Storage/Disposal	0	0	0	1	0	0	0
Other	16	2	1	5	21	0	2
Unknown	2	0	0	0	0	0	0
<i>Non-Occupational Totals</i>	282	46	8	17	32	1	5
1999 Totals	570	225	70	176	35	7	51
							67

1. **Source:** California Department of Pesticide Regulation, Pesticide Illness Surveillance Program.
2. **Relationship:** Degree of correlation between pesticide exposure and resulting symptomatology. The term "pesticide-related" refers to one of the following relationships.
 - Definite** : High degree of correlation between pattern of exposure and resulting symptomatology. Requires both medical evidence (such as measured cholinesterase inhibition, positive allergy tests, characteristic signs observed by medical professional) and physical evidence of exposure (environmental and/or biological samples, exposure history) to support the conclusions.
 - Probable** : Relatively high degree of correlation exists between the pattern of exposure and the resulting symptomatology. Either medical or physical evidence is inconclusive or unavailable.
 - Possible** : Some degree of correlation evident. Medical and physical evidence are inconclusive or unavailable.
3. **Activity:** Activity of the exposed individual at the time of exposure.
 - Mixer/Loader** : Mixes and/or loads pesticides. This includes: (1) removing a pesticide from its original container, (2) transferring the pesticide to a mixing or holding tank, (3) mixing pesticides prior to application, (4) driving a nurse rig, or (5) transferring the pesticide from a mix/holding tank or nurse rig to an application tank.
 - Applicator** : Applies pesticides by any method or conducts activities considered ancillary to the application (e.g., cleans spray nozzles in the field).
 - Mechanical Work on Contaminated Equipment** : Maintains (e.g., cleans, repairs or conducts maintenance) pesticide contaminated equipment used to mix, load or apply pesticides as well as the protective equipment used by individuals involved in such activities. This excludes the following: 1) maintenance performed by applicators on their equipment incidental to the application (classified as 'Applicator'); 2) maintenance performed by mixer/loaders on their equipment incidental to mixing and loading (classified as 'Mixer/Loader'); and 3) decontamination by HAZMAT teams (classified as 'Emergency Response').
 - Packer/Processor (Commodity)** : Handles (packs, processes or retails agricultural commodities) from the packing house to the final market place. Field packing of agricultural commodities is classified as 'Field Worker'.
 - Field Worker** : Works in an agricultural field performing tasks such as advising, scouting, harvesting, thinning, irrigating, driving tractor (except as part of an application), field packing, conducting cultural work in a greenhouse, etc. Researchers performing similar tasks in an agricultural field are also included.
 - Routine Indoor Activity** : Conducts activities in an indoor environment with minimal expectation for exposure to pesticides. This includes people in offices and businesses, residential structures, etc. who are not handling pesticides.
 - Routine Outdoor Activity** : Conducts activities in an outdoor environment with minimal expectation for exposure to pesticides. This excludes field workers in agricultural fields. This includes gardeners who are not handling pesticides.
 - Manufacture/ Formulation Transport/ Storage/ Disposal** : Manufactures, processes or packages pesticides. This includes "mixing" if it is done in a plant for application elsewhere.
 - Emergency Response** : Transports or stores pesticides between packaging and preparation for use. This includes shipping, warehousing and retailing as well as storage by the end-user prior to preparation for use. Disposal of unused pesticides is also included in this activity. This excludes driving a nurse rig to an application site.
 - Other** : Emergency response personnel (police, fire, ambulance and HAZMAT personnel) responding to a fire, spill, accident or any other pesticide incident in the line of duty.
 - Unknown** : Activity is not adequately described by any other activity category. This includes: 1) being inside a vehicle; 2) dog groomers not handling pesticides; 3) individuals handling pesticide treated wood; 4) two or more activities with potential for pesticide exposure.

4. Type of Exposure: Characterization of how an individual came in contact with a pesticide

- Drift : Spray, mist, fumes, or odor carried from the target site by air. Drift must be related to an application or mix/load activity.
- Residue : The part of a pesticide that remains in the environment for a period of time following an application or drift. This includes odor after the completion of an application.
- Spray/Squirt : Material propelled by the application or mix/load equipment. Contact with the material can be by direct projection or ricochet. This includes exposure of mechanics working on application or mix/load equipment when the material is forced out by pressure.
- Other Direct : Any of the following: 1) Contact made during an application or mixing/loading operation where the material is not propelled by the equipment; 2) Expected direct contact during use (e.g. washing dishes in a disinfectant solution); 3) Leaks, spills, etc. not related to an application.
- Ingestion : Intentional or unintentional oral ingestion.
- Multiple : More than one of the type of exposure categories apply.
- Other : Other known route of exposure not included in other exposure categories. This includes, but not limited to: 1) Residue from a spill; 2) Exposure to smoke or pyrolytic products from a fire where pesticides are burning; and 3) Contact with pesticides occurred through two or more mechanisms.
- Not Known : Route of exposure is not known.

5. Occupational/Non-occupational: The relationship between the illness/injury and the individual's work.

- Occupational : Work related. The individual was on the job at the time of the exposure. This includes both paid employees and volunteers working in similar capacity to paid employees.
- Non-Occupational : Not work related. The individual was not on the job at the time of the exposure. This category includes individuals while on the way to or from work (before the start or after the end of their workday).

Whom to Contact:

California Department of Pesticide Regulation
Worker Health and Safety Branch
Phone: (916) 445-4222.

Physical address: 1001 I St., Sacramento CA 95814-2828.
Mailing address: P.O. Box 4015, Sacramento, CA 95812-4015
Fax: (916) 445-4280
www.cdpr.ca.gov

About the Pesticide Illness Surveillance Program Data

Pesticide-related illnesses have been tracked within the state of California for nearly 50 years. The California Environmental Protection Agency, Department of Pesticide Regulation (DPR) maintains a surveillance program which records human health effects of pesticide exposure. Information on adverse effects from pesticide products, whether elicited by the active ingredients, inert ingredients, impurities, or breakdown products are documented by the Pesticide Illness Surveillance Program (PISP). This program maintains a database, which is utilized for evaluating the circumstances of pesticide exposures resulting in illness. This database is consulted regularly by staff who evaluate(s) the effectiveness of the DPR pesticide safety programs and recommend changes when appropriate.